Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0001	ROADWAY - SBR-4000(263)SB				
	0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
	0020	202(A)2200	UNCLASSIFIED EXCAVATION	2,329.000	CY
	0030	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
	0040	221(B)2300	TEMPORARY SILT FENCE	300.000	LF
	0050	221(E)2600	TEMPORARY SILT DIKE	147.000	LF
	0060	221(H)2900	(PL)TEMPORARY INLET SEDIMENT FILTER	3.000	EA
	0070	230(A)7200	SOLID SLAB SODDING	7,278.000	SY
	0080	233(A)0200	VEGETATIVE MULCHING	1.500	AC
	0090	241 3100	MOWING	3.000	AC
	0100	303(A)1200	AGGREGATE BASE TYPE A	1,739.000	CY
	0110	326(C)1100	(SP) WOVEN GEOSYNTHETIC REINFORCEMENT FABRIC	3,082.000	SY
	0120	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	781.000	TON
	0130	407(B)7300	TACK COAT	1,164.000	GAL
	0140	408 8100	PRIME COAT	2,365.000	GAL
	0150	411(B)1320	SUPERPAVE, TYPE S3(PG 70-28 OK)	127.000	TON
	0160	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,605.000	TON
	0170	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	878.000	TON
	0180	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1,452.000	SY
	0190	414(G)5800	P.C. CONCRETE FOR PAVEMENT	363.000	CY
	0200	509(D)0500	CLASS C CONCRETE	10.000	CY
	0210	611(G)0350	INLET (SMD-TYPE 1)	3.000	EA
	0220	611(H)0400	ADDITIONAL DEPTH IN INLET	6.000	VF
	0230	613(A)5216	24" R.C.PIPE CLASS III	134.000	LF
	0240	613(L)6716	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
	0250	615(A)1249	18" POLYVINYL CHLORIDE (PVC) PIPE	918.000	LF
	0260	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
	0270	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	1,070.000	SY
	0280	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	1,492.000	SY
	0290	619(B)6396	REMOVAL OF GUARDRAIL	602.000	LF
	0300	619(B)6440	REMOVAL OF EXISTING PIPE	120.000	LF
	0310	619(C)6600	SAWING PAVEMENT	3,658.000	LF
	0320	623 1100	(PL)GUARDRAIL CURBING	4.000	EA
	0330	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	600.000	LF
	0340	623(G)1820	GUARDRAIL END TREATMENT (31")	4.000	EA
	0350	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0002	BRIDGE A -SBR-4000(263)SB				
	0360	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	110.000	CY
	0370	501(G)1800	CLSM BACKFILL	113.000	CY
	0380	504(A)5200	APPROACH SLAB	325.000	SY
	0390	504(B)5300	SAW-CUT GROOVING	701.600	SY
	0400	504(E)5520	42" F-SHAPED PARAPET	385.700	LF
	0410	506(A)7200	STRUCTURAL STEEL	83,910.000	LB
	0420	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
	0430	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
	0440	509(A)0210	CLASS AA CONCRETE	129.100	CY
	0450	509(D)0510	CLASS C CONCRETE	6.000	CY
	0460	511(B)2310	EPOXY COATED REINFORCING STEEL	39,390.000	LB
	0470	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	598.000	SY
	0480	517 9110	ELASTOMERIC COATING	608.000	SF
	0490	518(B)0300	SEALED EXPANSION JOINTS	42.190	LF
	0500	520(A)1200	PREPARATION OF CRACKS, ABOVE WATER	2.000	LF
	0510	520(C)1400	EPOXY RESIN, ABOVE WATER	0.200	GAL
	0520	521(A)2200	PNEUMATICALLY PLACED MORTAR	18.000	SY
	0530	523(A)3200	SEALER CRACK PREPARATION	43.000	LF
	0540	523(B)3300	SEALER RESIN	0.500	GAL
	0550	524(A)4200	(SP) CARBON FIBER-REINFORCED POLYMER	940.000	SF
	0560	535 7100	CORROSION INHIBITOR(SURFACE APPLIED)	75.000	SY
	0570	619(B)6304	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0003	BRIDGE B - SBR-4000(263)SB				
	0580	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	110.000	CY
	0590	501(G)1800	CLSM BACKFILL	113.000	CY
	0600	504(A)5200	APPROACH SLAB	325.000	SY
	0610	504(B)5300	SAW-CUT GROOVING	701.600	SY
	0620	504(E)5520	42" F-SHAPED PARAPET	385.700	LF
	0630	506(A)7200	STRUCTURAL STEEL	83,910.000	LB
	0640	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
	0650	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
	0660	509(A)0210	CLASS AA CONCRETE	128.600	CY
	0670	509(D)0510	CLASS C CONCRETE	7.000	CY
	0680	511(B)2310	EPOXY COATED REINFORCING STEEL	39,390.000	LB
	0690	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	598.000	SY
	0700	517 9110	ELASTOMERIC COATING	608.000	SF
	0710	518(B)0300	SEALED EXPANSION JOINTS	42.190	LF
	0720	520(A)1200	PREPARATION OF CRACKS, ABOVE WATER	7.000	LF
	0730	520(C)1400	EPOXY RESIN, ABOVE WATER	0.700	GAL
	0740	521(A)2200	PNEUMATICALLY PLACED MORTAR	9.000	SY
	0750	523(A)3200	SEALER CRACK PREPARATION	43.000	LF
	0760	523(B)3300	SEALER RESIN	0.500	GAL
	0770	524(A)4200	(SP) CARBON FIBER-REINFORCED POLYMER	940.000	SF
	0780	535 7100	CORROSION INHIBITOR(SURFACE APPLIED)	45.000	SY
	0790	619(B)6304	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
0004	TRAFFIC SIGNING AND STRIPING - SBR-4000(263)SB				
	0800	413(A)4200	RUMBLE STRIP-METHOD HMA-CON	3,420.000	LF
	0810	805(D)3528	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
	0820	856(A)8207	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(6" WIDE)	6,830.000	LF
0005	TRAFFIC BARRIERS - SBR-4000(263)SB				
	0830	509(A)0200	CLASS AA CONCRETE	33.000	CY
	0840	619(B)6432	REMOVAL OF CABLE BARRIER	1,645.000	LF
	0850	628 7100	INSTALLATION OF CABLE BARRIER SYSTEM	1,645.000	LF
	0860	628(C)7400	END ANCHORS	4.000	EA

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0006	TRAFFIC CONTROL - SBR-4000(263)SB				
	0870	857(A)9205	CONSTRUCTION TRAFFIC STR.(PAINT)(6" WIDE)	15,500.000	LF
	0880	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	21,900.000	LF
	0890	871(B)2300	CONST.ZONE IMPACT ATTEN.	200.000	SD
	0900	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	1,950.000	LF
	0910	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	1,950.000	LF
	0920	880(A)6220	ARROW DISPLAY(TYPE C)	520.000	SD
	0930	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,520.000	SD
	0940	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,760.000	SD
	0950	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,080.000	SD
	0960	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	5,160.000	SD
	0970	880(E)6600	WARNING LIGHTS(TYPE A)	13,840.000	SD
	0980	880(E)6610	WARNING LIGHTS(TYPE C)	33,480.000	SD
	0990	880(F)6700	DRUMS	33,480.000	SD
	1000	880(G)6805	CHANNELIZER CONES	9,820.000	SD
	1010	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	548.000	SD
0007	STAKING - SBR-4000(263)SB				
	1020	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0008	CONSTRUCTION - SBR-4000(263)SB				
	1030	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
	1040	641 2100	MOBILIZATION	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0009	ROADWAY - NHPPI-4000-(265)PM				
	1050	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
	1060	202(A)2200	UNCLASSIFIED EXCAVATION	5,757.000	CY
	1070	202(D)2500	UNCLASSIFIED BORROW	15,989.000	CY
	1080	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
	1090	221(B)2300	TEMPORARY SILT FENCE	5,219.000	LF
	1100	221(C)2400	TEMPORARY SEDIMENT FILTER	3.000	EA
	1110	230(A)7200	SOLID SLAB SODDING	4,417.000	SY
	1120	232(B)9300	SEEDING METHOD B	9.000	AC
	1130	233(A)0200	VEGETATIVE MULCHING	10.000	AC
	1140	241 3100	MOWING	33.000	AC
	1150	303(A)1200	AGGREGATE BASE TYPE A	5,845.000	CY
	1160	317 7100	CEMENT TREATED BASE	28,083.000	SY
	1170	326(C)1100	(SP) WOVEN GEOSYNTHETIC REINFORCEMENT FABRIC	28,422.000	SY
	1180	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	6,482.000	TON
	1190	407(B)7300	TACK COAT	289.000	GAL
	1200	408 8100	PRIME COAT	21,163.000	GAL
	1210	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	381.000	TON
	1220	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	454.000	TON
	1230	412 3100	COLD MILLING PAVEMENT	1,802.000	SY
	1240	414(A)5200	P.C.CONCRETE PAVEMENT(PLACEMENT)	14,223.000	SY
	1250	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	10,835.000	SY
	1260	414(G)5800	P.C. CONCRETE FOR PAVEMENT	7,227.000	CY
	1270	509(D)0500	CLASS C CONCRETE	28.000	CY
	1280	611(G)0354	INLET (SMD-TYPE 2)	3.000	EA
	1290	613(A)5216	24" R.C.PIPE CLASS III	258.000	LF
	1300	613(B)5508	18" CORR. GALV. STEEL PIPE	1,508.000	LF
	1310	613(J)6400	EDGE DRAIN CONDUIT-PERFORATED	3,755.000	LF
	1320	613(K)6500	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	402.000	LF
	1330	613(M)6964	TYPE B4 CULVERT END TREATMENT	2.000	EA
	1340	613(M)7004	TYPE A6 CULVERT END TREATMENT	7.000	EA
	1350	613(Q)7500	OUTLET LATERAL HEADWALL	18.000	EA
	1360	613(S)7700	STANDARD BEDDING MATERIAL, CLASS B	768.000	CY
	1370	613(V)8000	TRENCH EXCAVATION	1,515.000	CY
	1380	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
	1390	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	16,860.000	SY
	1400	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	8,954.000	SY
	1410	619(B)6396	REMOVAL OF GUARDRAIL	1,740.000	LF
	1420	619(B)6432	REMOVAL OF CABLE BARRIER	5,328.000	LF
	1430	619(B)6436	REMOVAL OF CONCRETE DITCH LINER	867.000	LF
	1440	619(C)6600	SAWING PAVEMENT	7,137.000	LF
	1450	623 1100	(PL)GUARDRAIL CURBING	863.000	EA
	1460	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	2,863.000	LF
	1470	623(G)1820	GUARDRAIL END TREATMENT (31")	10.000	EA
	1480	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	8.000	EA

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST, AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW. PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0009	ROADWAY - NHPPI-4000-(265)PM				
	1490	624(C)3400	FENCE-STYLE SWF (4 BARBED WIRE)	133.000	LF
	1500	624(C)3405	FENCE-STYLE SWF (5 BARBED WIRE)	921.000	LF
	1510	624(C)3410	FENCE-STYLE SWF (6 BARBED WIRE)	101.000	LF
	1520	853 5175	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	77.000	EA
0010	BRIDGE A - NHPPI-4000-(265)PM				
	1530	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	265.000	CY
	1540	501(G)1800	CLSM BACKFILL	369.200	CY
	1550	504(A)5200	APPROACH SLAB	471.600	SY
	1560	504(B)5300	SAW-CUT GROOVING	1,427.200	SY
	1570	504(E)5520	42" F-SHAPED PARAPET	677.100	LF
	1580	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	326,400.000	LB
	1590	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	6.000	EA
	1600	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	18.000	EA
	1610	509(A)0210	CLASS AA CONCRETE	251.300	CY
	1620	509(B)0320	CLASS A CONCRETE	213.500	CY
	1630	511(A)2210	REINFORCING STEEL	920.000	LB
	1640	511(B)2310	EPOXY COATED REINFORCING STEEL	32,350.000	LB
	1650	511(C)2400	GALVANIZED REINFORCING STEEL	78,900.000	LB
	1660	514(A)5220	PILES, FURNISHED (HP 12X53)	766.000	LF
	1670	514(B)5320	PILES, DRIVEN (HP 12X53)	766.000	LF
	1680	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	1690	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	616.000	SY
	1700	516(A)8230	DRILLED SHAFTS 48" DIAMETER	108.000	LF
	1710	516(C)8400	CROSSHOLE SONIC LOGGING	6.000	EA
	1720	517 9110	ELASTOMERIC COATING	1,238.000	SF
	1730	518(B)0300	SEALED EXPANSION JOINTS	125.060	LF
	1740	523(A)3200	SEALER CRACK PREPARATION	241.000	LF
	1750	523(B)3300	SEALER RESIN	2.700	GAL
	1760	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	120.000	LF
	1770	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
	1780	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
	1790	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0011	BRIDGE B - NHPPI-4000-(265)PM				
	1800	202(A)2210	UNCLASSIFIED EXCAVATION	120.000	CY
	1810	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	235.000	CY
	1820	501(G)1800	CLSM BACKFILL	408.500	CY
	1830	504(A)5200	APPROACH SLAB	501.200	SY
	1840	504(B)5300	SAW-CUT GROOVING	1,454.700	SY
	1850	504(E)5500	CONCRETE PARAPET	616.100	LF
	1860	504(E)5520	42" F-SHAPED PARAPET	690.100	LF
	1870	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	326,400.000	LB
	1880	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	6.000	EA
	1890	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	18.000	EA
	1900	509(A)0210	CLASS AA CONCRETE	251.300	CY
	1910	509(B)0320	CLASS A CONCRETE	339.200	CY
	1920	509(D)0510	CLASS C CONCRETE	24.700	CY
	1930	510(C)1450	SLOPE WALL (5")	2,684.000	SY
	1940	511(A)2210	REINFORCING STEEL	13,670.000	LB
	1950	511(B)2310	EPOXY COATED REINFORCING STEEL	29,770.000	LB
	1960	511(C)2400	GALVANIZED REINFORCING STEEL	78,900.000	LB
	1970	514(A)5220	PILES, FURNISHED (HP 12X53)	742.000	LF
	1980	514(B)5320	PILES, DRIVEN (HP 12X53)	742.000	LF
	1990	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	2000	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	634.000	SY
	2010	516(A)8230	DRILLED SHAFTS 48" DIAMETER	114.000	LF
	2020	516(C)8400	CROSSHOLE SONIC LOGGING	6.000	EA
	2030	517 9110	ELASTOMERIC COATING	1,321.000	SF
	2040	518(B)0300	SEALED EXPANSION JOINTS	125.060	LF
	2050	523(A)3200	SEALER CRACK PREPARATION	241.000	LF
	2060	523(B)3300	SEALER RESIN	2.700	GAL
	2070	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	120.000	LF
	2080	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
	2090	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0012	BRIDGE C - NHPPI-4000-(265)PM				
	2100	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
	2110	501(G)1800	CLSM BACKFILL	196.900	CY
	2120	502(A)3200	ENGINEERED FALSEWORK	1.000	LSUM
	2130	504(A)5200	APPROACH SLAB	289.000	SY
	2140	504(B)5300	SAW-CUT GROOVING	861.400	SY
	2150	504(E)5520	42" F-SHAPED PARAPET	400.600	LF
	2160	509(A)0210	CLASS AA CONCRETE	403.500	CY
	2170	509(B)0320	CLASS A CONCRETE	175.700	CY
	2180	511(A)2210	REINFORCING STEEL	730.000	LB
	2190	511(B)2310	EPOXY COATED REINFORCING STEEL	20,210.000	LB
	2200	511(C)2400	GALVANIZED REINFORCING STEEL	79,670.000	LB
	2210	514(A)5210	PILES, FURNISHED (HP 10X42)	312.000	LF
	2220	514(B)5310	PILES, DRIVEN (HP 10X42)	312.000	LF
	2230	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	2240	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	373.000	SY
	2250	516(A)8230	DRILLED SHAFTS 48" DIAMETER	64.000	LF
	2260	516(C)8400	CROSSHOLE SONIC LOGGING	4.000	EA
	2270	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
	2280	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
	2290	619(B)6308	REMOVAL OF BRIDGE ITEMS	4.000	EA
	2300	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0013	BRIDGE D - NHPPI-4000-(265)PM				
	2310	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
	2320	501(G)1800	CLSM BACKFILL	202.900	CY
	2330	502(A)3200	ENGINEERED FALSEWORK	1.000	LSUM
	2340	504(A)5200	APPROACH SLAB	288.200	SY
	2350	504(B)5300	SAW-CUT GROOVING	860.400	SY
	2360	504(E)5520	42" F-SHAPED PARAPET	400.600	LF
	2370	509(A)0210	CLASS AA CONCRETE	403.500	CY
	2380	509(B)0320	CLASS A CONCRETE	173.300	CY
	2390	510(C)1450	SLOPE WALL (5")	1,709.000	SY
	2400	511(A)2210	REINFORCING STEEL	710.000	LB
	2410	511(B)2310	EPOXY COATED REINFORCING STEEL	20,190.000	LB
	2420	511(C)2400	GALVANIZED REINFORCING STEEL	79,690.000	LB
	2430	514(A)5210	PILES, FURNISHED (HP 10X42)	312.000	LF
	2440	514(B)5310	PILES, DRIVEN (HP 10X42)	312.000	LF
	2450	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	2460	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	373.000	SY
	2470	516(A)8230	DRILLED SHAFTS 48" DIAMETER	68.000	LF
	2480	516(C)8400	CROSSHOLE SONIC LOGGING	4.000	EA
	2490	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	94.000	LF
	2500	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
	2510	619(B)6308	REMOVAL OF BRIDGE ITEMS	4.000	EA
	2520	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 260318 **Let Date:** January 14, 2027 **Call Order:** 572
J/P Num: 31222(04) **Proj. Num:** NHPPI-4000-(265)PM
38392(04) SBR-4000(263)SB
Counties: SEQUOYAH
Description: BRIDGE AND APPROACHES AND BRIDGE REHABILITATION
I-40: OVER LITTLE SKIN BAYOU CREEK, US-64, AND SEQUOYAH
STREET (OLD US-64) AND , 3.3 MILES WEST, 3.9 MILES WEST,
AND 1.9 MILES EAST OF THE SH-64B JUNCTION NEAR MULDROW.
PROJECT LENGTH = 0.567 MILES

	Line #		Item Description	Quantity	Unit
0014	TRAFFIC TEMPORARY - NHPPI-4000-(265)PM				
	2530	823 6100	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	360.000	SD
	2540	857(C)9405	REMOVABLE PAVEMENT MARKING TAPE(6" WIDE)	10,300.000	LF
	2550	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4,190.000	LF
	2560	858(A)0224	PAVE.MARKERS CLASS A TYPE 2-C	772.000	EA
	2570	858(A)0228	PAVE.MARKERS CLASS A TYPE 2-D	1,010.000	EA
	2580	871(B)2300	CONST.ZONE IMPACT ATTEN.	3,600.000	SD
	2590	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	11,537.500	LF
	2600	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	24,062.500	LF
	2610	878(B)5300	MODULAR GLARE SCREEN (TEMPORARY)	122,400.000	SD
	2620	880(A)6220	ARROW DISPLAY(TYPE C)	1,680.000	SD
	2630	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	51,000.000	SD
	2640	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	28,980.000	SD
	2650	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	28,080.000	SD
	2660	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	19,380.000	SD
	2670	880(E)6607	WARNING LIGHTS(TYPE B)	63,720.000	SD
	2680	880(E)6616	WARNING LIGHTS(TYPE D)	16,560.000	SD
	2690	880(F)6700	DRUMS	110,280.000	SD
	2700	880(G)6805	CHANNELIZER CONES	16,560.000	SD
	2710	882 8100	(SP)SMART WORK ZONE SYSTEM	420.000	SD
	2720	882 8105	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	10,080.000	SD
	2730	882 8110	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	8,400.000	SD
	2740	882 8115	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	1,680.000	SD
	2750	882 8120	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	420.000	SD
	2760	882 8125	(PL)SMART WORK ZONE SYSTEM SETUP	1.000	EA
	2770	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	3,204.000	SD
0015	TRAFFIC SIGNING AND STRIPING - NHPPI-4000-(265)PM				
	2780	413(C)4400	RUMBLE STRIP-METHOD PCC-CON	7,500.000	LF
	2790	805(D)3528	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
	2800	856(A)8207	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(6" WIDE)	79,505.000	LF
	2810	856(A)8215	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(12" WIDE)	735.000	LF
	2820	858(A)0224	PAVE.MARKERS CLASS A TYPE 2-C	25.000	EA
0016	STAKING - NHPPI-4000-(265)PM				
	2830	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0017	CONSTRUCTION - NHPPI-4000-(265)PM				
	2840	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
	2850	641 2100	MOBILIZATION	1.000	LSUM