Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575

J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG

Counties: TULSA

Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY - STP-272C(481)IG			
0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0020	202(A)2200	UNCLASSIFIED EXCAVATION	8,152.000	CY
0030	202(E)2600	SELECT BORROW	789.000	CY
0040	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0050	221(B)2300	TEMPORARY SILT FENCE	2,475.000	LF
0060	221(E)2600	TEMPORARY SILT DIKE	75.000	LF
0070	221(F)2710	TEMPORARY ROCK FILTER DAM TYPE 2	8.000	CY
0080	230(A)7200	SOLID SLAB SODDING	6,496.000	SY
0090	233(A)0200	VEGETATIVE MULCHING	1.000	AC
0100	241 3100	MOWING	1.000	AC
0110	303(A)1200	AGGREGATE BASE TYPE A	5,703.000	CY
0120	310(B)5300	SUBGRADE, METHOD B	14,175.000	SY
0130	325 0100	SEPARATOR FABRIC	14,092.000	SY
0140	407(B)7300	TACK COAT	2,644.000	GAL
0150	408 8100	PRIME COAT	2,261.000	GAL
0160	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,250.000	TON
0170	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,013.000	TON
0180	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	351.000	SY
0190	414(G)5800	P.C. CONCRETE FOR PAVEMENT	77.000	CY
0200	509(A)0200	CLASS AA CONCRETE	14.000	CY
0210	509(C)0400	CLASS A CONCRETE, SMALL STRUCTURES	31.000	CY
0220	601(A)1100	TYPE I PLAIN RIPRAP	20.000	TON
0230	609(B)4350	2'-8" COMB.CRB.& GUT.(4" BARRIER)	4,597.000	LF
0240	610(A)5200	4" CONCRETE SIDEWALK	1,775.000	SY
0250	610(B)5300	6" CONCRETE DRIVEWAY (H.E.S.)	2,313.000	SY
0260	610(I)6000	TACTILE WARNING DEVICE-NEW	320.000	SF
0270	611(A)7267	PRECAST CONC SQ 4' WIDE MANHOLE	5.000	EA
0280	611(A)7272	PRECAST CONC SQ 5' WIDE MANHOLE	2.000	EA
0290	611(A)7277	PRECAST CONC SQ 6' WIDE MANHOLE	1.000	EA
0300	611(B)7277	ADD'L DEPTH PRECAST SQ 5' MANHOLE	2.030	VF
0310	611(B)7282	ADD'L DEPTH PRECAST SQ 6' MANHOLE	0.400	VF
0320	611(G)7700	SPECIAL INLET DRAIN	1.000	EA
0330	611(G)7864	PRECAST INLET CI DES. 2 (STD)	3.000	EA
0340	611(G)7868	PRECAST INLET CI DES. 2 (B)	8.000	EA
0350	611(G)7896	PRECAST INLET CI DES. 3 (STD)	2.000	EA
0360	611(H)0434	ADD'L DEPTH IN PRECAST INLET CI DES. 2	12.410	VF
0370	611(H)0438	ADD'L DEPTH IN PRECAST INLET CI DES. 3	0.840	VF
0380	613(A)5208	18" R.C.PIPE CLASS III	838.000	LF
0390	613(A)5216	24" R.C.PIPE CLASS III	119.000	LF
0400	613(A)5220	30" R.C.PIPE CLASS III	524.000	LF
0410	613(A)5224	36" R.C.PIPE CLASS III	72.000	LF
0420	613(L)6728	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
0430	616 2110	(PL) IRRIGATION SYSTEM	1.000	LSUM

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575

J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG

Counties: TULSA

Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY - STP-272C(481)IG			
0440	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
0450	619(B)6356	REMOVAL OF CURB AND GUTTER	610.000	LF
0460	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	387.000	SY
0470	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	7,312.000	SY
0480	619(B)6368	REMOVAL OF DRAINAGE INLETS	4.000	EA
0490	619(B)6380	REMOVAL OF CONCRETE DRIVEWAY	759.000	SY
0500	619(B)6384	REMOVAL OF ASPHALT DRIVEWAY	2,833.000	SY
0510	619(B)6440	REMOVAL OF EXISTING PIPE	526.000	LF
0520	619(B)6448	REMOVAL OF FIRE HYDRANT	2.000	EA
0530	619(B)6452	REMOVAL OF EXISTING RETAINING WALL	100.000	LF
0540	619(B)6492	REMOVE WATER METER AND METER CAN	5.000	EA
0550	619(B)6496	REMOVAL OF GATE VALVE AND BOX	11.000	EA
0560	619(C)6600	SAWING PAVEMENT	2,911.000	LF
0570	625(B)4300	REMOVE AND RECONSTRUCT FENCE	14.500	LF
0580	629(D)7500	REMOVE AND RESET MAILBOX	14.000	EA
0002	SIGNING AND STRIPING - STP-272C(481)IG			
0590	855(A)7201	(SP) TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7,296.000	LF
0600	855(A)7209	(SP) TRAFFIC STRIPE(PLASTIC)(8" WIDE)	714.000	LF
0610	855(A)7217	(SP) TRAFFIC STRIPE(PLASTIC)(24" WIDE)	101.000	LF
0620	855(B)7305	(SP) TRAFFIC STRIPE(PLASTIC)(ARROWS)	31.000	EA
0630	855(B)7309	(SP) TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
0003	TRAFFIC CONTROL - STP-272C(481)IG			
0640	857(A)9200	CONSTRUCTION TRAFFIC STR.(PAINT)(4" WIDE)	4,773.000	LF
0650	857(C)9400	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	4,701.000	LF
0660	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5,273.000	LF
0670	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	400.000	LF
0680	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	1,600.000	LF
0690	880(A)6200	ARROW DISPLAY(TYPE A)	320.000	SD
0700	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	640.000	SD
0710	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,280.000	SD
0720	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,920.000	SD
0730	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	640.000	SD
0740	880(D)6500	VERTICAL PANELS	3,840.000	SD
0750	880(E)6600	WARNING LIGHTS(TYPE A)	2,560.000	SD
0760	880(E)6610	WARNING LIGHTS(TYPE C)	13,440.000	SD
0770	880(F)6700	DRUMS	7,680.000	SD
0780	880(G)6805	CHANNELIZER CONES	19,040.000	SD
0790	880(I)7000	FLAGGER	28.000	SD

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575
J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties: TULSA
Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0004	WATERLINE (NON-PARTICIPATING) - STP-272C(481)IG			
0800	612(I)4010	WATER METER RELOCATION	35.000	EA
0810	616(A)2208	6" DUCTILE IRON PIPE	466.000	LF
0820	616(A)2212	8" DUCTILE IRON PIPE	5.000	LF
0830	616(A)2220	12" DUCTILE IRON PIPE	714.000	LF
0840	616(A)2252	6" DUCTILE IRON PIPE RESTRAINED JOINT	545.000	LF
0850	616(A)2260	12" DUCTILE IRON PIPE RESTRAINED JOINT	441.000	LF
0860	616(D)2538	2" COMB.AIR RELEASE ASSEMBLY AND VAULT	2.000	EA
0870	616(D)2646	6" GATE VALVE	8.000	EA
0880	616(D)2658	12" GATE VALVE	6.000	EA
0890	616(D)2800	STANDARD VALVE BOX	14.000	EA
0900	616(D)2804	VALVE BOX EXTENSION	14.000	EA
0910	616(G)3100	FIRE HYDRANTS	3.000	EA
0920	616(G)3105	FIRE HYDRANT EXTENSION	1.000	EA
0930	616(K)3512	6" SOLID SLEEVE	3.000	EA
0940	616(K)3516	8" SOLID SLEEVE	1.000	EA
0950	616(N)3800	SERVICE CONNECTION (SHORT)	20.000	EA
0960	616(N)3805	SERVICE CONNECTION (LONG)	15.000	EA
0970	616(O)3975	6" 11 1/4 DEGREE FITTING	9.000	EA
0980	616(O)3985	6" 45 DEGREE FITTING	4.000	EA
0990	616(O)3990	6" 90 DEGREE FITTING	1.000	EA
1000	616(O)4045	12" 45 DEGREE FITTING	4.000	EA
1010	616(R)4332	8" X 6" REDUCER	1.000	EA
1020	616(S)4405	6" PLUG	1.000	EA
1030	616(S)4420	12" PLUG	1.000	EA
1040	616(T)4535	6" X 6" X 6" TEE	1.000	EA
1050	616(T)4595	12" X 12" X 6" TEE	7.000	EA
1060	616(T)4610	12" X 12" X 12" TEE	1.000	EA
1070	616(V)4800	HYDROSTATIC PRESSURE TESTING & DISINFECT	1.000	LSUM
0005	SANITARY SEWER (NON-PARTICIPATING) - STP-272C(481)IG			
1080	611(C)7300	REPLACEMENT OF MANHOLE FRAME & COVER	2.000	EA
1090	612(A)3200	MANHOLES ADJUST TO GRADE	2.000	EA
1100	616(A)2216	10" DUCTILE IRON PIPE	20.000	LF
1110	616(O)4020	10" FITTING	2.000	EA

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575

J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG

Counties: TULSA

Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0006	ROADWAY - STP-272C(482)IG			
1120	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
1130	202(A)2200	UNCLASSIFIED EXCAVATION	7,650.000	CY
1140	202(E)2600	SELECT BORROW	1,410.000	CY
1150	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
1160	221(B)2300	TEMPORARY SILT FENCE	2,590.000	LF
1170	221(F)2700	TEMPORARY ROCK FILTER DAM TYPE 1	16.000	CY
1180	221(G)2800	TEMPORARY FIBER LOG	320.000	LF
1190	230(A)7200	SOLID SLAB SODDING	4,100.000	SY
1200	233(A)0200	VEGETATIVE MULCHING	1.000	AC
1210	241 3100	MOWING	1.000	AC
1220	303(A)1200	AGGREGATE BASE TYPE A	6,602.000	CY
1230	310(B)5300	SUBGRADE, METHOD B	13,312.000	SY
1240	325 0100	SEPARATOR FABRIC	16,640.000	SY
1250	407(B)7300	TACK COAT	3,147.000	GAL
1260	408 8100	PRIME COAT	2,622.000	GAL
1270	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,877.000	TON
1280	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,175.000	TON
1290	509(A)0210	CLASS AA CONCRETE	231.000	CY
1300	509(C)0400	CLASS A CONCRETE, SMALL STRUCTURES	73.000	CY
1310	509(D)0500	CLASS C CONCRETE	9.000	CY
1320	510(D)1510	MSE RETAINING WALL	125.000	SY
1330	511(A)2200	REINFORCING STEEL	35,139.000	LB
1340	601(A)1100	TYPE I PLAIN RIPRAP	5.000	TON
1350	609(B)4360	2'-8" COMB.CRB.& GUT.(6" BARRIER)	4,775.000	LF
1360	610(A)5200	4" CONCRETE SIDEWALK	2,838.000	SY
1370	610(B)5300	6" CONCRETE DRIVEWAY (H.E.S.)	3,673.000	SY
1380	610(I)6000	TACTILE WARNING DEVICE-NEW	144.000	SF
1390	611(A)7267	PRECAST CONC SQ 4' WIDE MANHOLE	5.000	EA
1400	611(A)7272	PRECAST CONC SQ 5' WIDE MANHOLE	5.000	EA
1410	611(A)7277	PRECAST CONC SQ 6' WIDE MANHOLE	3.000	EA
1420	611(G)0350	INLET (SMD-TYPE 1)	6.000	EA
1430	611(G)7864	PRECAST INLET CI DES. 2 (STD)	2.000	EA
1440	611(G)7868	PRECAST INLET CI DES. 2 (B)	13.000	EA
1450	611(G)7880	PRECAST INLET CI DES. 2 (2B)	2.000	EA
1460	611(H)0434	ADD'L DEPTH IN PRECAST INLET CI DES. 2	9.210	VF
1470	611(H)0980	ADD'L DEPTH IN INLET SMD TYPE 1	0.570	VF
1480	611(Q)2100	12” PEDESTRIAN TRENCH GRATE	12.000	LF
1490	613(A)5208	18" R.C.PIPE CLASS III	560.000	LF
1500	613(A)5216	24" R.C.PIPE CLASS III	325.000	LF
1510	613(A)5350	22" X 13" R.C.PIPE ARCH CLASS A-III	156.000	LF
1520	613(A)5358	28" X 18" R.C.PIPE ARCH CLASS A-III	190.000	LF
1530	613(A)5366	36" X 22" R.C.PIPE ARCH CLASS A-III	86.000	LF
1540	613(A)5374	51" X 31" R.C.PIPE ARCH CLASS A-III	1,008.000	LF

Proposal:270046 **Let Date:**January 14, 2027 **Call Order:**575
J/P Num:29307(04) **Proj. Num:**STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties:TULSA
Description:GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0006	ROADWAY - STP-272C(482)IG			
1550	613(A)5378	58" X 36" R.C.PIPE ARCH CLASS A-III	189.000	LF
1560	613(A)5382	65" X 40" R.C.PIPE ARCH CLASS A-III	62.000	LF
1570	616 2110	(PL) IRRIGATION SYSTEM	1.000	LSUM
1580	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
1590	619(B)6356	REMOVAL OF CURB AND GUTTER	708.000	LF
1600	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	121.000	SY
1610	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	6,908.000	SY
1620	619(B)6368	REMOVAL OF DRAINAGE INLETS	11.000	EA
1630	619(B)6380	REMOVAL OF CONCRETE DRIVEWAY	2,282.000	SY
1640	619(B)6384	REMOVAL OF ASPHALT DRIVEWAY	3,392.000	SY
1650	619(B)6440	REMOVAL OF EXISTING PIPE	1,466.000	LF
1660	619(B)6448	REMOVAL OF FIRE HYDRANT	3.000	EA
1670	619(B)6492	REMOVE WATER METER AND METER CAN	2.000	EA
1680	619(B)6496	REMOVAL OF GATE VALVE AND BOX	12.000	EA
1690	619(C)6600	SAWING PAVEMENT	2,742.000	LF
1700	622(A)0200	PIPE RAILING	260.000	LF
1710	629(D)7500	REMOVE AND RESET MAILBOX	9.000	EA
0007	SIGNING AND STRIPING - STP-272C(482)IG			
1720	855(A)7201	(SP) TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,291.000	LF
1730	855(A)7209	(SP) TRAFFIC STRIPE(PLASTIC)(8" WIDE)	316.000	LF
1740	855(A)7217	(SP) TRAFFIC STRIPE(PLASTIC)(24" WIDE)	397.000	LF
1750	855(B)7305	(SP) TRAFFIC STRIPE(PLASTIC)(ARROWS)	19.000	EA
1760	855(B)7309	(SP) TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
0008	TRAFFIC CONTROL - STP-272C(482)IG			
1770	857(A)9200	CONSTRUCTION TRAFFIC STR.(PAINT)(4" WIDE)	6,060.000	LF
1780	857(C)9400	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6,060.000	LF
1790	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	6,560.000	LF
1800	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	500.000	LF
1810	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	2,000.000	LF
1820	880(A)6200	ARROW DISPLAY(TYPE A)	320.000	SD
1830	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,120.000	SD
1840	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,240.000	SD
1850	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,880.000	SD
1860	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,120.000	SD
1870	880(D)6500	VERTICAL PANELS	4,960.000	SD
1880	880(E)6600	WARNING LIGHTS(TYPE A)	4,000.000	SD
1890	880(E)6610	WARNING LIGHTS(TYPE C)	19,840.000	SD
1900	880(F)6700	DRUMS	9,920.000	SD
1910	880(G)6805	CHANNELIZER CONES	24,320.000	SD
1920	880(I)7000	FLAGGER	36.000	SD
1930	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD

Proposal:270046 **Let Date:**January 14, 2027 **Call Order:**575
J/P Num:29307(04) **Proj. Num:**STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties:TULSA
Description:GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

	Line #		Item Description	Quantity	Unit
0009	WATERLINE (NON-PARTICIPATING) - STP-272C(482)IG				
	1940	612(I)4010	WATER METER RELOCATION	37.000	EA
	1950	616(A)2212	8" DUCTILE IRON PIPE	242.000	LF
	1960	616(A)2220	12" DUCTILE IRON PIPE	1,877.000	LF
	1970	616(A)2252	6" DUCTILE IRON PIPE RESTRAINED JOINT	175.000	LF
	1980	616(A)2260	12" DUCTILE IRON PIPE RESTRAINED JOINT	575.000	LF
	1990	616(D)2538	2" COMB.AIR RELEASE ASSEMBLY AND VAULT	1.000	EA
	2000	616(D)2646	6" GATE VALVE	8.000	EA
	2010	616(D)2650	8" GATE VALVE	1.000	EA
	2020	616(D)2658	12" GATE VALVE	5.000	EA
	2030	616(D)2800	STANDARD VALVE BOX	13.000	EA
	2040	616(D)2804	VALVE BOX EXTENSION	13.000	EA
	2050	616(G)3100	FIRE HYDRANTS	3.000	EA
	2060	616(G)3105	FIRE HYDRANT EXTENSION	3.000	EA
	2070	616(K)3512	6" SOLID SLEEVE	5.000	EA
	2080	616(K)3516	8" SOLID SLEEVE	1.000	EA
	2090	616(K)3524	12" SOLID SLEEVE	5.000	EA
	2100	616(N)3800	SERVICE CONNECTION (SHORT)	26.000	EA
	2110	616(N)3805	SERVICE CONNECTION (LONG)	11.000	EA
	2120	616(O)3985	6" 45 DEGREE FITTING	6.000	EA
	2130	616(O)4010	8" 45 DEGREE FITTING	4.000	EA
	2140	616(O)4045	12" 45 DEGREE FITTING	4.000	EA
	2150	616(O)4050	12" 90 DEGREE FITTING	2.000	EA
	2160	616(T)4595	12" X 12" X 6" TEE	7.000	EA
	2170	616(T)4600	12" X 12" X 8" TEE	1.000	EA
	2180	616(V)4800	HYDROSTATIC PRESSURE TESTING & DISINFECT	1.000	LSUM
0010	SANITARY SEWER (NON-PARTICIPATING) - STP-272C(482)IG				
	2190	611(C)7300	REPLACEMENT OF MANHOLE FRAME & COVER	2.000	EA
	2200	612(A)3200	MANHOLES ADJUST TO GRADE	2.000	EA
	2210	616(A)2212	8" DUCTILE IRON PIPE	115.000	LF
	2220	616(O)3995	8" FITTING	12.000	EA

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575

J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG

Counties: TULSA

Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0011	ROADWAY - STP-272C(400)IG			
2230	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
2240	202(A)2210	UNCLASSIFIED EXCAVATION	8,816.000	CY
2250	202(C)2400	ROCK EXCAVATION	79.000	CY
2260	202(E)2600	SELECT BORROW	1,213.000	CY
2270	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
2280	221(B)2300	TEMPORARY SILT FENCE	2,962.000	LF
2290	221(F)2710	TEMPORARY ROCK FILTER DAM TYPE 2	41.000	CY
2300	221(G)2800	TEMPORARY FIBER LOG	500.000	LF
2310	230(A)7200	SOLID SLAB SODDING	4,954.000	SY
2320	233(A)0200	VEGETATIVE MULCHING	1.000	AC
2330	241 3100	MOWING	1.000	AC
2340	303(A)1200	AGGREGATE BASE TYPE A	5,703.000	CY
2350	310(B)5300	SUBGRADE, METHOD B	13,262.000	SY
2360	325 0100	SEPARATOR FABRIC	13,262.000	SY
2370	407(B)7300	TACK COAT	1,388.000	GAL
2380	408 8100	PRIME COAT	630.000	GAL
2390	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,103.000	TON
2400	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,132.000	TON
2410	412 3100	COLD MILLING PAVEMENT	1,714.000	SY
2420	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	1,265.000	SY
2430	414(G)5800	P.C. CONCRETE FOR PAVEMENT	278.000	CY
2440	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	50.000	CY
2450	509(C)0400	CLASS A CONCRETE, SMALL STRUCTURES	87.000	CY
2460	509(D)0510	CLASS C CONCRETE	85.000	CY
2470	510(D)1510	MSE RETAINING WALL	96.000	SY
2480	511(A)2200	REINFORCING STEEL	2,947.000	LB
2490	601(A)1100	TYPE I PLAIN RIPRAP	20.000	TON
2500	609(B)4360	2'-8" COMB.CRB.& GUT.(6" BARRIER)	3,749.000	LF
2510	610(A)5200	4" CONCRETE SIDEWALK	1,747.000	SY
2520	610(B)5300	6" CONCRETE DRIVEWAY (H.E.S.)	1,656.000	SY
2530	610(I)6000	TACTILE WARNING DEVICE-NEW	88.000	SF
2540	611(A)7267	PRECAST CONC SQ 4' WIDE MANHOLE	3.000	EA
2550	611(A)7277	PRECAST CONC SQ 6' WIDE MANHOLE	5.000	EA
2560	611(B)7282	ADD'L DEPTH PRECAST SQ 6' MANHOLE	3.850	VF
2570	611(G)7864	PRECAST INLET CI DES. 2 (STD)	1.000	EA
2580	611(G)7868	PRECAST INLET CI DES. 2 (B)	2.000	EA
2590	611(G)7872	PRECAST INLET CI DES. 2 (C)	3.000	EA
2600	611(G)7876	PRECAST INLET CI DES. 2 (D)	10.000	EA
2610	611(H)0434	ADD'L DEPTH IN PRECAST INLET CI DES. 2	50.380	VF
2620	613(A)5208	18" R.C.PIPE CLASS III	636.000	LF
2630	613(A)5216	24" R.C.PIPE CLASS III	406.000	LF
2640	613(A)5224	36" R.C.PIPE CLASS III	604.000	LF
2650	613(A)5228	42" R.C.PIPE CLASS III	148.000	LF

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575
J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties: TULSA
Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0011	ROADWAY - STP-272C(400)IG			
2660	613(A)5232	48" R.C.PIPE CLASS III	335.000	LF
2670	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
2680	619(B)6356	REMOVAL OF CURB AND GUTTER	1,215.000	LF
2690	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	8,253.000	SY
2700	619(B)6368	REMOVAL OF DRAINAGE INLETS	6.000	EA
2710	619(B)6380	REMOVAL OF CONCRETE DRIVEWAY	962.000	SY
2720	619(B)6384	REMOVAL OF ASPHALT DRIVEWAY	122.000	SY
2730	619(B)6440	REMOVAL OF EXISTING PIPE	1,233.000	LF
2740	619(B)6448	REMOVAL OF FIRE HYDRANT	2.000	EA
2750	619(B)6492	REMOVE WATER METER AND METER CAN	1.000	EA
2760	619(B)6496	REMOVAL OF GATE VALVE AND BOX	13.000	EA
2770	619(C)6600	SAWING PAVEMENT	4,568.000	LF
2780	622(A)0200	PIPE RAILING	195.000	LF
2790	625(B)4300	REMOVE AND RECONSTRUCT FENCE	82.000	LF
2800	629(D)7500	REMOVE AND RESET MAILBOX	16.000	EA

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575
J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties: TULSA
Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0012	TRAFFIC SIGNAL - STP-272C(400)IG			
2810	802(B)0324	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
2820	802(B)0332	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	115.000	LF
2830	802(C)0435	3" HIGH DENSITY PE PIPE - BORED	155.000	LF
2840	803(A)1210	PULL BOX(SIZE I)	4.000	EA
2850	803(A)1220	PULL BOX(SIZE II)	1.000	EA
2860	804(A)2200	STRUCTURAL CONCRETE	8.900	CY
2870	804(B)2300	REINFORCING STEEL	1,256.600	LB
2880	806(A)4240	32'MH POLE 25'TS & 10'LMA(G.STL.)	1.000	EA
2890	806(A)4244	32'MH POLE,30'TS & 10'LMA(G.STL.)	2.000	EA
2900	806(B)4408	10' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
2910	809(A)7200	ROADWAY LUMINAIRE	3.000	EA
2920	810(A)8200	SERVICE POLE	1.000	EA
2930	811 9120	1/C NO.6 ELECT.COND.	250.000	LF
2940	811 9130	1/C NO.10 ELECT.COND.	1,080.000	LF
2950	825 8100	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
2960	828 0100	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
2970	830 2100	PEDESTRIAN PUSH BUTTON	4.000	EA
2980	831 3116	1WAY2SEC.ADJ.PED.SIG.HD.S-20	4.000	EA
2990	831 3120	1WAY3SEC.ADJ.SIG.HD.S-6	5.000	EA
3000	831 3144	1WAY4SEC.ADJ.SIG.HD.S-13	1.000	EA
3010	831 3156	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
3020	833 5100	BACKPLATE	7.000	EA
3030	834(A)6205	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	850.000	LF
3040	834(A)6210	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	100.000	LF
3050	834(A)6235	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	375.000	LF
3060	834(B)6300	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	45.000	LF
3070	840(A)0200	E.P.S. OPTICAL EMITTER	1.000	EA
3080	840(B)0300	E.P.S. OPTICAL DETECTOR	2.000	EA
3090	840(C)0400	E.P.S. OPTICAL DETECTOR CABLE	350.000	LF
3100	840(D)0500	E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
3110	850(C)1400	MAST ARM MOUNTED SIGNS(ALUM.)	50.500	SF

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575
J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG
Counties: TULSA
Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0013	TRAFFIC CONTROL - STP-272C(400)IG			
3120	857(A)9200	CONSTRUCTION TRAFFIC STR.(PAINT)(4" WIDE)	5,400.000	LF
3130	857(C)9400	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	5,400.000	LF
3140	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5,900.000	LF
3150	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	450.000	LF
3160	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	1,800.000	LF
3170	880(A)6200	ARROW DISPLAY(TYPE A)	320.000	SD
3180	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	960.000	SD
3190	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,920.000	SD
3200	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,400.000	SD
3210	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	960.000	SD
3220	880(D)6500	VERTICAL PANELS	4,320.000	SD
3230	880(E)6600	WARNING LIGHTS(TYPE A)	3,360.000	SD
3240	880(E)6610	WARNING LIGHTS(TYPE C)	17,280.000	SD
3250	880(F)6700	DRUMS	8,640.000	SD
3260	880(G)6805	CHANNELIZER CONES	21,600.000	SD
3270	880(I)7000	FLAGGER	32.000	SD
3280	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD
0014	SIGNING AND STRIPING - STP-272C(400)IG			
3290	855(A)7201	(SP) TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,732.000	LF
3300	855(A)7205	(SP) TRAFFIC STRIPE(PLASTIC)(6" WIDE)	36.000	LF
3310	855(A)7209	(SP) TRAFFIC STRIPE(PLASTIC)(8" WIDE)	728.000	LF
3320	855(A)7217	(SP) TRAFFIC STRIPE(PLASTIC)(24" WIDE)	632.000	LF
3330	855(B)7305	(SP) TRAFFIC STRIPE(PLASTIC)(ARROWS)	17.000	EA
3340	855(B)7309	(SP) TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
0015	STAKING - STP-272C(400)IG			
3350	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0016	CONSTRUCTION - STP-272C(400)IG			
3360	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
3370	641 2110	MOBILIZATION	1.000	LSUM

Proposal: 270046 **Let Date:** January 14, 2027 **Call Order:** 575

J/P Num: 29307(04) **Proj. Num:** STP-272C(400)IG
30731(04) STP-272C(481)IG
32532(04) STP-272C(482)IG

Counties: TULSA

Description: GRADE, DRAIN, AND SURFACE
CITY STREETS (SOUTH 113TH WEST AVENUE/W. 35TH STREET/W. 34TH STREET): FROM 0.4 MILES SOUTH OF THE SH-51 INTERSECTION, EXTEND SOUTH AT MULTIPLE LOCATIONS IN THE CITY OF SAND SPRINGS.
PROJECT LENGTH = 1.537 MILES

Line #		Item Description	Quantity	Unit
0017	WATERLINE (NON-PARTICIPATING) - STP-272C(400)IG			
3380	612(I)4010	WATER METER RELOCATION	15.000	EA
3390	616(A)2200	2" DUCTILE IRON PIPE	10.000	LF
3400	616(A)2220	12" DUCTILE IRON PIPE	1,102.000	LF
3410	616(A)2252	6" DUCTILE IRON PIPE RESTRAINED JOINT	425.000	LF
3420	616(A)2260	12" DUCTILE IRON PIPE RESTRAINED JOINT	847.000	LF
3430	616(D)2646	6" GATE VALVE	14.000	EA
3440	616(D)2658	12" GATE VALVE	8.000	EA
3450	616(D)2800	STANDARD VALVE BOX	22.000	EA
3460	616(D)2804	VALVE BOX EXTENSION	22.000	EA
3470	616(G)3100	FIRE HYDRANTS	6.000	EA
3480	616(G)3105	FIRE HYDRANT EXTENSION	6.000	EA
3490	616(K)3512	6" SOLID SLEEVE	9.000	EA
3500	616(K)3524	12" SOLID SLEEVE	2.000	EA
3510	616(N)3800	SERVICE CONNECTION (SHORT)	3.000	EA
3520	616(N)3805	SERVICE CONNECTION (LONG)	12.000	EA
3530	616(O)3975	6" 11 1/4 DEGREE FITTING	1.000	EA
3540	616(O)3985	6" 45 DEGREE FITTING	12.000	EA
3550	616(O)3990	6" 90 DEGREE FITTING	2.000	EA
3560	616(O)4035	12" 11 1/4 DEGREE FITTING	3.000	EA
3570	616(O)4045	12" 45 DEGREE FITTING	4.000	EA
3580	616(O)4050	12" 90 DEGREE FITTING	1.000	EA
3590	616(R)4324	6" X 4" REDUCER	1.000	EA
3600	616(R)4344	12" X 6" REDUCER	1.000	EA
3610	616(S)4405	6" PLUG	2.000	EA
3620	616(S)4420	12" PLUG	1.000	EA
3630	616(T)4535	6" X 6" X 6" TEE	1.000	EA
3640	616(T)4595	12" X 12" X 6" TEE	14.000	EA
3650	616(T)4610	12" X 12" X 12" TEE	2.000	EA
3660	616(V)4800	HYDROSTATIC PRESSURE TESTING & DISINFECT	1.000	LSUM
0018	SANITARY SEWER (NON-PARTICIPATING) - STP-272C(400)IG			
3670	616(A)2208	6" DUCTILE IRON PIPE	157.000	LF
3680	616(A)2212	8" DUCTILE IRON PIPE	20.000	LF
3690	616(K)3512	6" SOLID SLEEVE	2.000	EA
3700	616(O)3985	6" 45 DEGREE FITTING	8.000	EA
3710	616(O)3995	8" FITTING	2.000	EA