Proposal:240246 **Let Date:**November 21, 2024 **Call Order:**631
J/P Num:32882(08) **Proj. Num:**NHPP-255N(534)PM
Counties:OKLAHOMA
Description:GRADE, DRAIN, BRIDGE, AND SURFACE
SH-152: FROM 0.42 MILES EAST OF MERIDIAN AVE,
EXTEND EAST AND SOUTH IN OKLAHOMA CITY.
PROJECT LENGTH = 2.896 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY			
0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0020	202(A)2200	UNCLASSIFIED EXCAVATION	29,369.000	CY
0030	202(D)2500	UNCLASSIFIED BORROW	1,945.000	CY
0040	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0050	221(B)2300	TEMPORARY SILT FENCE	21,180.000	LF
0060	221(C)2400	TEMPORARY SEDIMENT FILTER	9.000	EA
0070	221(E)2600	TEMPORARY SILT DIKE	1,288.000	LF
0080	230(A)7200	SOLID SLAB SODDING	46,678.000	SY
0090	233(A)0200	VEGETATIVE MULCHING	9.600	AC
0100	234(A)1200	FERTILIZING (10-20-10)	4.700	TON
0110	241 3100	MOWING	19.200	AC
0120	303(A)1200	AGGREGATE BASE TYPE A	7,911.000	CY
0130	307(K)4200	STABILIZED SUBGRADE	60,323.000	SY
0140	325 0100	SEPARATOR FABRIC	73,356.000	SY
0150	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	14,927.000	TON
0160	407(B)7300	TACK COAT	10,999.000	GAL
0170	409(A)9200	FABRIC REINFORCEMENT	3,613.000	SY
0180	409(B)9300	BITUMINOUS BINDER	723.000	GAL
0190	411(B)1300	SUPERPAVE, TYPE S3(PG 76-28 OK)	1,944.000	TON
0200	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	23,197.000	TON
0210	411(C)1400	SUPERPAVE, TYPE S4(PG 76-28 OK)	4,917.000	TON
0220	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,463.000	TON
0230	411(G)1800	RICH BOTTOM LAYER	2,091.000	TON
0240	412 3100	COLD MILLING PAVEMENT	33,595.000	SY
0250	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	27,152.000	SY
0260	414(E)5600	FULL DEPTH P.C.C. PATCH (PLACEMENT)	800.000	SY
0270	414(G)5800	P.C. CONCRETE FOR PAVEMENT	9,273.000	CY
0280	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	4.000	CY
0285	504(E)5500	CONCRETE PARAPET	1,375.000	LF
0290	509(A)0200	CLASS AA CONCRETE	59.000	CY
0300	509(B)0300	CLASS A CONCRETE	294.000	CY
0310	509(D)0500	CLASS C CONCRETE	67.300	CY
0320	511(A)2200	REINFORCING STEEL	5,538.000	LB
0325	511(B)2300	EPOXY COATED REINFORCING STEEL	46,296.000	LB
0330	601(B)1220	TYPE I-A PLAIN RIPRAP	25.000	TON
0340	601(C)1300	TYPE I-A FILTER BLANKET	5.000	TON
0350	609(A)4220	CONC.CURB(4" MNTBLE-INTEGRAL)	822.000	LF
0360	611(G)0350	INLET (SMD-TYPE 1)	1.000	EA
0370	613(A)5208	18" R.C.PIPE CLASS III	11.000	LF
0380	613(A)5224	36" R.C.PIPE CLASS III	26.000	LF
0390	613(L)6728	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
0400	613(S)7700	STANDARD BEDDING MATERIAL, CLASS B	23.000	CY
0410	613(V)8000	TRENCH EXCAVATION	56.000	CY
0420	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
0430	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	16,307.000	SY
0440	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	15,378.000	SY

Proposal:240246 **Let Date:**November 21, 2024 **Call Order:**631
J/P Num:32882(08) **Proj. Num:**NHPP-255N(534)PM
Counties:OKLAHOMA
Description:GRADE, DRAIN, BRIDGE, AND SURFACE
SH-152: FROM 0.42 MILES EAST OF MERIDIAN AVE,
EXTEND EAST AND SOUTH IN OKLAHOMA CITY.
PROJECT LENGTH = 2.896 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY			
0450	619(B)6396	REMOVAL OF GUARDRAIL	394.000	LF
0460	619(B)6416	REMOVAL OF CONCRETE MEDIAN BARRIER	1,537.000	LF
0470	619(B)6432	REMOVAL OF CABLE BARRIER	2,738.000	LF
0480	619(C)6600	SAWING PAVEMENT	24,571.000	LF
0490	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	125.000	LF
0500	623(F)1764	GUARDRAIL TRAIL END TURNDOWN (31")	1.000	EA
0510	623(I)2030	GUARDRAIL BRIDGE CONN-TRAIL END (31")	1.000	EA
0520	624(E)3610	FENCE-STYLE CLF (5'HIGH, CLASS A)	1,173.000	LF
0530	627(A)6200	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	1,611.000	LF
0540	627(B)6300	CONCRETE LONGITUDINAL BARRIER END SEC.	6.000	EA
0550	628(B)7300	HIGH-TENSION CABLE BARRIER(TL-4)	1,550.000	LF
0560	628(C)7400	END ANCHORS	3.000	EA
0570	628(E)7600	CABLE BARRIER TENSION METER	1.000	EA
0580	871(A)2200	IMPACT ATTENUATOR	11.000	EA
0590	871(C)2410	RELOCATION OF IMPACT ATTENUATOR	4.000	EA

Proposal:240246 **Let Date:**November 21, 2024 **Call Order:**631
J/P Num:32882(08) **Proj. Num:**NHPP-255N(534)PM
Counties:OKLAHOMA
Description:GRADE, DRAIN, BRIDGE, AND SURFACE
SH-152: FROM 0.42 MILES EAST OF MERIDIAN AVE,
EXTEND EAST AND SOUTH IN OKLAHOMA CITY.
PROJECT LENGTH = 2.896 MILES

Line #		Item Description	Quantity	Unit
0002	BRIDGE 'A' - NBI NO. 16033			
0600	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
0610	501(G)1800	CLSM BACKFILL	38.600	CY
0620	504(A)5200	APPROACH SLAB	54.600	SY
0630	504(B)5300	SAW-CUT GROOVING	1,151.200	SY
0640	504(E)5500	CONCRETE PARAPET	174.500	LF
0650	505(A)6200	BRIDGE DECK CONCRETE OVERLAY	1,151.200	SY
0660	505(B)6300	REMOVING EXISTING OVERLAY	918.600	SY
0670	505(E)6600	HYDRODEMOLITION	731.000	SY
0680	507(C)8400	ELASTOMERIC BEARING PADS	4.000	EA
0690	509(A)0210	CLASS AA CONCRETE	142.600	CY
0700	509(B)0320	CLASS A CONCRETE	29.800	CY
0710	510(C)1430	SLOPE WALL (4")	6.000	SY
0720	511(B)2310	EPOXY COATED REINFORCING STEEL	31,260.000	LB
0730	513(B)4300	CLASS B BRIDGE DECK REPAIR	141.600	SY
0740	513(C)4400	CLASS C BRIDGE DECK REPAIR	70.800	SY
0750	514(A)5210	PILES, FURNISHED (HP 10X42)	63.000	LF
0760	514(A)5220	PILES, FURNISHED (HP 12X53)	198.000	LF
0770	514(B)5310	PILES, DRIVEN (HP 10X42)	63.000	LF
0780	514(B)5320	PILES, DRIVEN (HP 12X53)	198.000	LF
0790	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
0800	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	120.000	SY
0810	516(A)8235	DRILLED SHAFTS 54" DIAMETER	46.000	LF
0820	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
0830	518(C)0400	RAPID CURE JOINT SEALANT	127.000	LF
0840	518(D)0500	ELASTOMERIC MORTAR	9.600	CF
0850	540 8116	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
0860	540 8132	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
0870	540 8148	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	LSUM
0880	540 8164	(PL)REPAIR BRIDGE ITEM (TYPE D)	1.000	LSUM
0890	542 9100	(PL)INSTALLATION OF BRIDGE ITEMS	1.000	LSUM
0900	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	12.000	LF
0910	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	12.000	LF
0920	619(B)6476	REMOVAL OF EXISTING PARAPET	134.500	LF

Proposal:240246 **Let Date:**November 21, 2024 **Call Order:**631
J/P Num:32882(08) **Proj. Num:**NHPP-255N(534)PM
Counties:OKLAHOMA
Description:GRADE, DRAIN, BRIDGE, AND SURFACE
SH-152: FROM 0.42 MILES EAST OF MERIDIAN AVE,
EXTEND EAST AND SOUTH IN OKLAHOMA CITY.
PROJECT LENGTH = 2.896 MILES

	Line #		Item Description	Quantity	Unit
0003	BRIDGE 'B' - NBI NO. 16034				
	0930	501(G)1800	CLSM BACKFILL	10.000	CY
	0940	504(B)5300	SAW-CUT GROOVING	918.600	SY
	0950	505(A)6200	BRIDGE DECK CONCRETE OVERLAY	918.600	SY
	0960	505(B)6300	REMOVING EXISTING OVERLAY	918.600	SY
	0970	505(E)6600	HYDRODEMOLITION	731.000	SY
	0980	513(B)4300	CLASS B BRIDGE DECK REPAIR	141.600	SY
	0990	513(C)4400	CLASS C BRIDGE DECK REPAIR	70.800	SY
	1000	518(C)0400	RAPID CURE JOINT SEALANT	100.000	LF
	1010	540 8116	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
	1020	540 8132	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
	1030	540 8148	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	LSUM
	1040	540 8164	(PL)REPAIR BRIDGE ITEM (TYPE D)	1.000	LSUM
0004	BRIDGE 'C' - NBI NO. 18693				
	1060	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	30.000	CY
	1070	509(A)0210	CLASS AA CONCRETE	47.900	CY
	1080	511(A)2210	REINFORCING STEEL	7,410.000	LB
0005	TRAFFIC SIGNING AND STRIPING				
	1090	516(A)8240	DRILLED SHAFTS 60" DIAMETER	504.000	LF
	1100	804(A)2200	STRUCTURAL CONCRETE	0.720	CY
	1110	804(B)2300	REINFORCING STEEL	130.000	LB
	1120	805(A)3236	(PL)REMOVAL OF OVERHEAD SIGN STRUCTURE	3.000	EA
	1130	805(A)3252	(PL)REMOVAL OF EXISTING SIGNS	7.000	EA
	1140	805(A)3260	(PL)REMOVEAL OF CANTILE SIGN STRUCTURE	1.000	EA
	1150	805(D)3528	(PL)REMOVE & RESET EXISTING SIGNS	9.000	EA
	1160	805(D)3536	(PL)REMOVE & RESET GROUND MOUNTED SIGN	1.000	EA
	1170	850(A)1200	SHEET ALUMINUM SIGNS	76.000	SF
	1180	850(B)1310	EXTRUDED ALUMINUM PANEL SIGNS	47.000	SF
	1190	850(B)1320	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	5,500.000	SF
	1200	851(A)2200	4"@13 GALV.STL.WD.FLANGE BM.POST	31.000	LF
	1210	851(C)2420	2 1/4" SQUARE TUBE POST	83.000	LF
	1220	852(D)3512	OVHD.SN.STR., MONOTUBE TYPE B 70'	1.000	EA
	1230	852(D)3524	OVHD.SN.STR., MONOTUBE TYPE B 85'	2.000	EA
	1240	852(D)3540	OVHD.SN.STR., MONOTUBE TYPE B 105'	1.000	EA
	1250	852(E)3600	OVHD.SN.STR., MONOTUBE TYPE C	6.000	EA
	1260	853 5100	DELINEATORS(TYPE 1, CODE 1)	44.000	EA
	1270	853 5105	DELINEATORS(TYPE 1, CODE 2)	16.000	EA
	1280	856(A)8205	TRAFFIC STRIPE(PLURAL-COMPONENT)(6" WIDE)	65,253.000	LF
	1290	856(A)8213	TRAFFIC STRIPE(PLURAL-COMPONENT)(12" WIDE)	19,073.000	LF
	1300	856(B)8301	TRAF.STR.(PLURAL-COMPONENT)(SYM,WRD,ETC)	80.000	EA
	1310	858(A)0212	PAVE.MARKERS CLASS A TYPE 2	713.000	EA

Proposal:240246 **Let Date:**November 21, 2024 **Call Order:**631
J/P Num:32882(08) **Proj. Num:**NHPP-255N(534)PM
Counties:OKLAHOMA
Description:GRADE, DRAIN, BRIDGE, AND SURFACE
SH-152: FROM 0.42 MILES EAST OF MERIDIAN AVE,
EXTEND EAST AND SOUTH IN OKLAHOMA CITY.
PROJECT LENGTH = 2.896 MILES

	Line #		Item Description	Quantity	Unit
0006	TRAFFIC LIGHTING				
	1320	802(B)0324	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8,399.000	LF
	1330	803(A)1210	PULL BOX(SIZE I)	38.000	EA
	1340	804(A)2200	STRUCTURAL CONCRETE	61.000	CY
	1350	804(B)2300	REINFORCING STEEL	10,508.000	LB
	1360	805(A)3228	(PL)REMOVAL OF LIGHT POLE	44.000	EA
	1370	805(B)3308	(PL)RESET OF LIGHT POLE	37.000	EA
0007	TRAFFIC CONTROL				
	1380	857(A)9200	CONSTRUCTION TRAFFIC STR.(PAINT)(4" WIDE)	29,510.000	LF
	1390	857(C)9400	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	97,232.000	LF
	1400	857(E)9620	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	20,046.000	EA
	1410	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	61,279.000	LF
	1420	857(F)9710	PAVEMENT MARKING REMOVAL(ARROWS)	20.000	EA
	1430	857(F)9720	PAVEMENT MARKING REMOVAL(WORDS)	10.000	EA
	1440	857(F)9730	PAVEMENT MARKING REMOVAL(SYMBOLS)	8.000	EA
	1450	858(A)0204	PAVE.MARKERS CLASS A TYPE 1-A	837.000	EA
	1460	858(A)0208	PAVE.MARKERS CLASS A TYPE 1-B	359.000	EA
	1470	870(A)1110	SAND FILLED IMPACT ATTEN.MODULE	60.000	SD
	1480	871(B)2300	CONST.ZONE IMPACT ATTEN.	2,485.000	SD
	1490	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	14,712.500	LF
	1500	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	29,812.500	LF
	1510	880(A)6220	ARROW DISPLAY(TYPE C)	445.000	SD
	1520	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	33,170.000	SD
	1530	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,035.000	SD
	1540	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	23,460.000	SD
	1550	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	2,085.000	SD
	1560	880(C)6420	WING BARRICADES	3,775.000	SD
	1570	880(E)6600	WARNING LIGHTS(TYPE A)	22,490.000	SD
	1580	880(E)6610	WARNING LIGHTS(TYPE C)	40,895.000	SD
	1590	880(F)6700	DRUMS	39,075.000	SD
	1600	880(G)6805	CHANNELIZER CONES	9,940.000	SD
	1610	880(K)7200	SURVEILLANCE TRAFFIC CONTROL	425.000	SD
	1620	880(L)7310	(SP) TRAFFIC SURVEILLANCE, OHP (NON-BID)	1,275.000	HOUR
	1630	882 8100	(SP)SMART WORK ZONE SYSTEM	425.000	SD
	1640	882 8105	(SP)SMART WK. ZONE SYS.-PORT.CHNG.MSG.SN	14,875.000	SD
	1650	882 8110	(SP)SMART WK. ZONE SYS.-PORT.TRAF.SENSOR	11,900.000	SD
	1660	882 8115	(SP)SMART WK ZONE SYS-PAN-TILT-ZOOM CMRA	2,125.000	SD
	1670	882 8120	(SP)SMART WK. ZONE SYS.-WEBSITE SYSTEM	425.000	SD
	1680	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	2,035.000	SD
0008	STAKING				
	1690	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0009	CONSTRUCTION				
	1700	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
	1710	641 2110	MOBILIZATION	1.000	LSUM