Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY - STP-224F(111)PART2CI			
0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0020	202(A)2200	UNCLASSIFIED EXCAVATION	2,259.000	CY
0030	202(D)2500	UNCLASSIFIED BORROW	1,373.000	CY
0040	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0050	221(B)2300	TEMPORARY SILT FENCE	1,870.000	LF
0060	221(E)2600	TEMPORARY SILT DIKE	196.000	LF
0070	230(A)7200	SOLID SLAB SODDING	8,253.000	SY
0080	233(A)0200	VEGETATIVE MULCHING	1.710	AC
0090	307(K)4200	STABILIZED SUBGRADE	3,085.000	SY
0100	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	20.000	TON
0110	408 8100	PRIME COAT	1,081.000	GAL
0120	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	804.000	TON
0130	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	320.000	TON
0140	509(D)0500	CLASS C CONCRETE	10.000	CY
0150	601(B)1220	TYPE I-A PLAIN RIPRAP	1,079.000	TON
0160	601(C)1300	TYPE I-A FILTER BLANKET	353.000	TON
0170	613(B)5516	24" CORR. GALV. STEEL PIPE	60.000	LF
0180	613(M)6904	TYPE B3 CULVERT END TREATMENT	2.000	EA
0190	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
0200	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	1,980.000	SY
0210	619(C)6600	SAWING PAVEMENT	44.000	LF
0220	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
0230	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
0240	624(C)3405	FENCE-STYLE SWF (5 BARBED WIRE)	346.000	LF

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

	Line #		Item Description	Quantity	Unit
0002	BRIDGE NBI NO.33392 - STP-224F(111)PART2CI				
	0250	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
	0260	501(G)1800	CLSM BACKFILL	66.000	CY
	0270	503(A)4220	PRESTRESSED CONCRETE BEAMS (TYPE II)	298.000	LF
	0280	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	209.000	LF
	0290	504(B)5300	SAW-CUT GROOVING	419.300	SY
	0300	504(D)5410	CONCRETE RAIL (TR3)	398.800	LF
	0310	506(A)7200	STRUCTURAL STEEL	850.000	LB
	0320	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
	0330	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	9.000	EA
	0340	509(A)0210	CLASS AA CONCRETE	133.700	CY
	0350	509(B)0320	CLASS A CONCRETE	106.600	CY
	0360	511(A)2210	REINFORCING STEEL	52,090.000	LB
	0370	514(A)5210	PILES, FURNISHED (HP 10X42)	208.000	LF
	0380	514(A)5220	PILES, FURNISHED (HP 12X53)	490.000	LF
	0390	514(B)5310	PILES, DRIVEN (HP 10X42)	208.000	LF
	0400	514(B)5320	PILES, DRIVEN (HP 12X53)	490.000	LF
	0410	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	0420	516(A)8235	DRILLED SHAFTS 54" DIAMETER	154.000	LF
	0430	518(B)0300	SEALED EXPANSION JOINTS	58.340	LF
	0440	601(B)1230	TYPE I-A PLAIN RIPRAP	1,582.000	TON
	0450	601(C)1310	TYPE I-A FILTER BLANKET	528.000	TON
	0460	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
	0470	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
	0480	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0003	TRAFFIC - STP-224F(111)PART2CI				
	0490	856(A)8201	(SP) TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	2,300.000	LF
	0500	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	9,360.000	SD
	0510	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000	SD
	0520	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
	0530	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,920.000	SD
	0540	880(E)6600	WARNING LIGHTS(TYPE A)	4,800.000	SD
0004	CONSTRUCTION - STP-224F(111)PART2CI				
	0550	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0005	ROADWAY - STP-224F(111)PART3CI			
0560	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0570	202(A)2200	UNCLASSIFIED EXCAVATION	1,199.000	CY
0580	202(D)2500	UNCLASSIFIED BORROW	476.000	CY
0590	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0600	221(B)2300	TEMPORARY SILT FENCE	1,630.000	LF
0610	221(E)2600	TEMPORARY SILT DIKE	112.000	LF
0620	230(A)7200	SOLID SLAB SODDING	3,744.000	SY
0630	233(A)0200	VEGETATIVE MULCHING	0.770	AC
0640	303(A)1200	AGGREGATE BASE TYPE A	233.000	CY
0650	509(D)0500	CLASS C CONCRETE	10.000	CY
0660	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
0670	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
0680	624(C)3410	FENCE-STYLE SWF (6 BARBED WIRE)	1,077.000	LF
0006	BRIDGE NBI NO.33391- STP-224F(111)PART3CI			
0690	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
0700	501(F)1700	GRANULAR BACKFILL	76.000	CY
0710	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	224.000	LF
0720	504(D)5410	CONCRETE RAIL (TR3)	211.200	LF
0730	506(A)7200	STRUCTURAL STEEL	510.000	LB
0740	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
0750	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
0760	509(A)0210	CLASS AA CONCRETE	60.100	CY
0770	509(B)0320	CLASS A CONCRETE	66.200	CY
0780	511(A)2210	REINFORCING STEEL	23,310.000	LB
0790	514(A)5210	PILES, FURNISHED (HP 10X42)	154.000	LF
0800	514(A)5220	PILES, FURNISHED (HP 12X53)	355.000	LF
0810	514(B)5310	PILES, DRIVEN (HP 10X42)	154.000	LF
0820	514(B)5320	PILES, DRIVEN (HP 12X53)	355.000	LF
0830	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
0840	601(B)1230	TYPE I-A PLAIN RIPRAP	553.000	TON
0850	601(C)1310	TYPE I-A FILTER BLANKET	185.000	TON
0860	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
0870	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
0880	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0007	TRAFFIC - STP-224F(111)PART3CI			
0890	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000	SD
0900	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
0910	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,920.000	SD
0920	880(E)6600	WARNING LIGHTS(TYPE A)	4,800.000	SD
0008	ROADWAY - STP-224F(111)PART4CI			
0930	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0940	202(A)2200	UNCLASSIFIED EXCAVATION	1,082.000	CY
0950	202(D)2500	UNCLASSIFIED BORROW	975.000	CY
0960	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0970	221(B)2300	TEMPORARY SILT FENCE	1,290.000	LF
0980	221(E)2600	TEMPORARY SILT DIKE	140.000	LF
0990	230(A)7200	SOLID SLAB SODDING	4,995.000	SY
1000	233(A)0200	VEGETATIVE MULCHING	1.030	AC
1010	303(A)1200	AGGREGATE BASE TYPE A	337.000	CY
1020	509(D)0500	CLASS C CONCRETE	10.000	CY
1030	601(A)1100	TYPE I PLAIN RIPRAP	691.000	TON
1040	613(EE)5969	18" CORRUGATED POLYPROPYLENE PIPE	40.000	LF
1050	613(L)6708	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
1060	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
1070	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
1080	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
1090	624(C)3405	FENCE-STYLE SWF (5 BARBED WIRE)	1,388.000	LF

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

	Line #		Item Description	Quantity	Unit
0009	BRIDGE NBI NO.33414 - STP-224F(111)PART4CI				
	1100	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
	1110	501(F)1700	GRANULAR BACKFILL	66.000	CY
	1120	503(A)4220	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
	1130	504(D)5410	CONCRETE RAIL (TR3)	176.000	LF
	1140	506(A)7200	STRUCTURAL STEEL	500.000	LB
	1150	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
	1160	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
	1170	509(A)0210	CLASS AA CONCRETE	108.900	CY
	1180	511(A)2210	REINFORCING STEEL	20,160.000	LB
	1190	514(A)5210	PILES, FURNISHED (HP 10X42)	104.000	LF
	1200	514(A)5220	PILES, FURNISHED (HP 12X53)	400.000	LF
	1210	514(B)5310	PILES, DRIVEN (HP 10X42)	104.000	LF
	1220	514(B)5320	PILES, DRIVEN (HP 12X53)	400.000	LF
	1230	514(K)6200	(PL)PILOT HOLES	320.000	LF
	1240	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	1250	601(B)1230	TYPE I-A PLAIN RIPRAP	1,201.000	TON
	1260	601(C)1310	TYPE I-A FILTER BLANKET	401.000	TON
	1270	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
	1280	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
	1290	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0010	TRAFFIC - STP-224F(111)PART4CI				
	1300	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000	SD
	1310	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
	1320	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,920.000	SD
	1330	880(E)6600	WARNING LIGHTS(TYPE A)	4,800.000	SD
0011	CONSTRUCTION - STP-224F(111)PART4CI				
	1340	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0012	ROADWAY - STP-224F(111)PART5CI			
1350	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
1360	202(A)2200	UNCLASSIFIED EXCAVATION	3,436.000	CY
1370	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
1380	221(B)2300	TEMPORARY SILT FENCE	2,000.000	LF
1390	221(E)2600	TEMPORARY SILT DIKE	224.000	LF
1400	230(A)7200	SOLID SLAB SODDING	10,457.000	SY
1410	233(A)0200	VEGETATIVE MULCHING	2.160	AC
1420	303(A)1200	AGGREGATE BASE TYPE A	1,508.000	CY
1430	325 0100	SEPARATOR FABRIC	6,736.000	SY
1440	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	1,700.000	TON
1450	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	5,423.000	SY
1460	414(G)5800	P.C. CONCRETE FOR PAVEMENT	1,507.000	CY
1470	509(D)0500	CLASS C CONCRETE	10.000	CY
1480	613(A)5378	58" X 36" R.C.PIPE ARCH CLASS A-III	176.000	LF
1490	613(B)5516	24" CORR. GALV. STEEL PIPE	200.000	LF
1500	613(M)6904	TYPE B3 CULVERT END TREATMENT	2.000	EA
1510	613(M)6932	TYPE DD3 CULVERT END TREATMENT	2.000	EA
1520	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
1530	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	4,214.000	SY
1540	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	225.000	LF
1550	623(G)1820	GUARDRAIL END TREATMENT (31")	4.000	EA
1560	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
1570	624(C)3405	FENCE-STYLE SWF (5 BARBED WIRE)	1,475.000	LF

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

	Line #		Item Description	Quantity	Unit
0013	BRIDGE NBI NO.33417 - STP-224F(111)PART5CI				
	1580	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	170.000	CY
	1590	501(G)1800	CLSM BACKFILL	180.000	CY
	1600	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	777.000	LF
	1610	504(A)5200	APPROACH SLAB	281.200	SY
	1620	504(B)5300	SAW-CUT GROOVING	1,140.700	SY
	1630	504(D)5420	CONCRETE RAIL (TR4)	513.400	LF
	1640	506(A)7200	STRUCTURAL STEEL	1,350.000	LB
	1650	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
	1660	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	12.000	EA
	1670	509(A)0210	CLASS AA CONCRETE	229.300	CY
	1680	509(B)0320	CLASS A CONCRETE	129.800	CY
	1690	511(B)2310	EPOXY COATED REINFORCING STEEL	72,260.000	LB
	1700	514(A)5210	PILES, FURNISHED (HP 10X42)	136.000	LF
	1710	514(A)5220	PILES, FURNISHED (HP 12X53)	434.000	LF
	1720	514(B)5310	PILES, DRIVEN (HP 10X42)	136.000	LF
	1730	514(B)5320	PILES, DRIVEN (HP 12X53)	434.000	LF
	1740	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	1750	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	787.000	SY
	1760	516(A)8230	DRILLED SHAFTS 48" DIAMETER	144.000	LF
	1770	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
	1780	518(B)0300	SEALED EXPANSION JOINTS	86.400	LF
	1790	601(B)1230	TYPE I-A PLAIN RIPRAP	598.000	TON
	1800	601(C)1310	TYPE I-A FILTER BLANKET	200.000	TON
	1810	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
	1820	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
	1830	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0014	TRAFFIC - STP-224F(111)PART5CI				
	1840	856(A)8201	(SP) TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	6,800.000	LF
	1850	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	16,920.000	SD
	1860	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,600.000	SD
	1870	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	360.000	SD
	1880	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	2,880.000	SD
	1890	880(E)6600	WARNING LIGHTS(TYPE A)	6,840.000	SD
	1900	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD
0015	CONSTRUCTION - STP-224F(111)PART5CI				
	1910	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0016	ROADWAY - STP-224F(111)PART6CI			
1920	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
1930	202(A)2200	UNCLASSIFIED EXCAVATION	4,340.000	CY
1940	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
1950	221(B)2300	TEMPORARY SILT FENCE	1,710.000	LF
1960	221(E)2600	TEMPORARY SILT DIKE	196.000	LF
1970	230(A)7200	SOLID SLAB SODDING	7,436.000	SY
1980	233(A)0200	VEGETATIVE MULCHING	1.540	AC
1990	303(A)1200	AGGREGATE BASE TYPE A	416.000	CY
2000	509(D)0500	CLASS C CONCRETE	10.000	CY
2010	601(A)1100	TYPE I PLAIN RIPRAP	295.000	TON
2020	613(EE)5961	12" CORRUGATED POLYPROPYLENE PIPE	60.000	LF
2030	613(L)6700	12" PREFAB. CULVERT END SEC., ROUND	2.000	EA
2040	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
2050	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
2060	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
0017	BRIDGE NBI NO.33390 - STP-224F(111)PART6CI			
2070	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	336.000	CY
2080	501(F)1700	GRANULAR BACKFILL	368.000	CY
2090	504(D)5410	CONCRETE RAIL (TR3)	90.500	LF
2100	506(A)7200	STRUCTURAL STEEL	5,550.000	LB
2110	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	5.000	EA
2120	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	5.000	EA
2130	509(A)0210	CLASS AA CONCRETE	34.800	CY
2140	509(B)0320	CLASS A CONCRETE	219.600	CY
2150	511(A)2210	REINFORCING STEEL	34,810.000	LB
2160	514(A)5210	PILES, FURNISHED (HP 10X42)	130.000	LF
2170	514(A)5220	PILES, FURNISHED (HP 12X53)	434.000	LF
2180	514(B)5310	PILES, DRIVEN (HP 10X42)	130.000	LF
2190	514(B)5320	PILES, DRIVEN (HP 12X53)	434.000	LF
2200	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
2210	535 7110	HAUL AND ERECT STEEL BEAMS	1.000	LSUM
2220	601(B)1230	TYPE I-A PLAIN RIPRAP	271.000	TON
2230	601(C)1310	TYPE I-A FILTER BLANKET	91.000	TON
2240	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
2250	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
2260	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

	Line #		Item Description	Quantity	Unit
0018	TRAFFIC - STP-224F(111)PART6CI				
	2270	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000	SD
	2280	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
	2290	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,920.000	SD
	2300	880(E)6600	WARNING LIGHTS(TYPE A)	4,800.000	SD
0019	CONSTRUCTION - STP-224F(111)PART6CI				
	2310	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
0020	ROADWAY - STP-224F(111)PART7CI				
	2320	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
	2330	202(A)2200	UNCLASSIFIED EXCAVATION	1,376.000	CY
	2340	202(D)2500	UNCLASSIFIED BORROW	11,132.000	CY
	2350	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
	2360	221(B)2300	TEMPORARY SILT FENCE	1,040.000	LF
	2370	221(E)2600	TEMPORARY SILT DIKE	224.000	LF
	2380	230(A)7200	SOLID SLAB SODDING	12,533.000	SY
	2390	233(A)0200	VEGETATIVE MULCHING	2.590	AC
	2400	307(K)4200	STABILIZED SUBGRADE	3,641.000	SY
	2410	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
	2420	408 8100	PRIME COAT	1,276.000	GAL
	2430	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	824.000	TON
	2440	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	392.000	TON
	2450	509(D)0500	CLASS C CONCRETE	10.000	CY
	2460	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
	2470	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	2,726.000	SY
	2480	619(C)6600	SAWING PAVEMENT	44.000	LF
	2490	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
	2500	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

	Line #		Item Description	Quantity	Unit
0021	BRIDGE NBI NO.33393 - STP-224F(111)PART7CI				
	2510	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
	2520	501(G)1800	CLSM BACKFILL	102.000	CY
	2530	503(A)4240	PRESTRESSED CONCRETE BEAMS (TYPE IV)	314.000	LF
	2540	504(B)5300	SAW-CUT GROOVING	266.700	SY
	2550	504(D)5410	CONCRETE RAIL (TR3)	291.300	LF
	2560	506(A)7200	STRUCTURAL STEEL	430.000	LB
	2570	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
	2580	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
	2590	509(A)0210	CLASS AA CONCRETE	165.500	CY
	2600	511(A)2210	REINFORCING STEEL	33,490.000	LB
	2610	514(A)5210	PILES, FURNISHED (HP 10X42)	184.000	LF
	2620	514(A)5220	PILES, FURNISHED (HP 12X53)	672.000	LF
	2630	514(B)5310	PILES, DRIVEN (HP 10X42)	184.000	LF
	2640	514(B)5320	PILES, DRIVEN (HP 12X53)	672.000	LF
	2650	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	2660	601(B)1230	TYPE I-A PLAIN RIPRAP	675.000	TON
	2670	601(C)1310	TYPE I-A FILTER BLANKET	226.000	TON
	2680	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
	2690	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
	2700	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0022	TRAFFIC - STP-224F(111)PART7CI				
	2710	856(A)8201	(SP) TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	2,700.000	LF
	2720	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000	SD
	2730	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
	2740	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	1,920.000	SD
	2750	880(E)6600	WARNING LIGHTS(TYPE A)	4,800.000	SD
0023	CONSTRUCTION - STP-224F(111)PART7CI				
	2760	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0024	ROADWAY - STP-224F(111)PART1CI			
2770	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
2780	202(A)2200	UNCLASSIFIED EXCAVATION	10,415.000	CY
2790	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
2800	221(B)2300	TEMPORARY SILT FENCE	4,660.000	LF
2810	221(E)2600	TEMPORARY SILT DIKE	560.000	LF
2820	230(A)7200	SOLID SLAB SODDING	20,585.000	SY
2830	233(A)0200	VEGETATIVE MULCHING	4.250	AC
2840	303(A)1200	AGGREGATE BASE TYPE A	1,411.000	CY
2850	325 0100	SEPARATOR FABRIC	4,160.000	SY
2860	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	3,572.000	SY
2870	414(G)5800	P.C. CONCRETE FOR PAVEMENT	795.000	CY
2880	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	49.000	CY
2890	509(A)0200	CLASS AA CONCRETE	121.800	CY
2900	509(D)0500	CLASS C CONCRETE	10.000	CY
2910	511(A)2200	REINFORCING STEEL	18,508.000	LB
2920	613(A)5240	60" R.C.PIPE CLASS III	32.000	LF
2930	613(A)5248	72" R.C.PIPE CLASS III	56.000	LF
2940	613(B)5544	60" CORR. GALV. STEEL PIPE	70.000	LF
2950	613(L)6744	60" PREFAB. CULVERT END SEC., ROUND	4.000	EA
2960	613(L)6752	72" PREFAB. CULVERT END SEC., ROUND	2.000	EA
2970	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
2980	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	538.000	SY
2990	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	75.000	LF
3000	623(F)1704	GUARDRAIL ANCHOR UNIT (TYPE A)	1.000	EA
3010	623(F)1724	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
3020	624(C)3400	FENCE-STYLE SWF (4 BARBED WIRE)	813.000	LF
3030	624(C)3410	FENCE-STYLE SWF (6 BARBED WIRE)	1,070.000	LF

Proposal: 250043 **Let Date:** April 17, 2025 **Call Order:** 841

J/P Num: 33049(04) **Proj. Num:** STP-224F(111)PART2CI
31773(04) STP-224F(111)PART4CI
34561(04) STP-224F(111)PART1CI
29874(04) STP-224F(111)PART3CI
32852(04) STP-224F(111)PART7CI
29869(04) STP-224F(111)PART6CI
32859(04) STP-224F(111)PART5CI

Counties: GARFIELD, GRANT, KINGFISHER, MAJOR, NOBLE, WOODS

Description: BRIDGE AND APPROACHES
COUNTY RDS (NS-249/EW-49/EW-47/EW-52/NS-274/EW-45/NS-301): OVER SALT FORK ARKANSAS RIVER, TURKEY CREEK, SPRING CREEK, CHEYENNE CREEK, PORCUPINE CREEK AND UNNAMED CREEKS, IN DIVISIONS IV AND VI.
PROJECT LENGTH = 1.688 MILES

Line #		Item Description	Quantity	Unit
0025	BRIDGE 'A' - NBI NO. 33413 - STP-224F(111)PART1CI			
3040	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
3050	501(F)1700	GRANULAR BACKFILL	76.000	CY
3060	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,972.000	LF
3070	504(D)5410	CONCRETE RAIL (TR3)	1,381.200	LF
3080	506(A)7200	STRUCTURAL STEEL	2,540.000	LB
3090	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	24.000	EA
3100	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	24.000	EA
3110	509(A)0210	CLASS AA CONCRETE	499.600	CY
3120	509(B)0320	CLASS A CONCRETE	236.300	CY
3130	511(A)2210	REINFORCING STEEL	145,720.000	LB
3140	514(A)5210	PILES, FURNISHED (HP 10X42)	126.000	LF
3150	514(A)5220	PILES, FURNISHED (HP 12X53)	285.000	LF
3160	514(B)5310	PILES, DRIVEN (HP 10X42)	126.000	LF
3170	514(B)5320	PILES, DRIVEN (HP 12X53)	285.000	LF
3180	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
3190	516(A)8240	DRILLED SHAFTS 60" DIAMETER	538.000	LF
3200	516(C)8400	CROSSHOLE SONIC LOGGING	3.000	EA
3210	518(B)0300	SEALED EXPANSION JOINTS	204.190	LF
3220	601(B)1230	TYPE I-A PLAIN RIPRAP	1,745.000	TON
3230	601(C)1310	TYPE I-A FILTER BLANKET	583.000	TON
3240	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
3250	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
3260	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0026	TRAFFIC - STP-224F(111)PART1CI			
3270	856(A)8201	(SP) TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	4,000.000	LF
3280	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	19,680.000	SD
3290	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,560.000	SD
3300	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	480.000	SD
3310	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	3,840.000	SD
3320	880(E)6600	WARNING LIGHTS(TYPE A)	8,880.000	SD
3330	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD
0027	STAKING - STP-224F(111)PART1CI			
3340	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0028	CONSTRUCTION - STP-224F(111)PART1CI			
3350	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
3360	641 2100	MOBILIZATION	1.000	LSUM