Proposal: 260124 **Let Date:** May 07, 2026 **Call Order:** 710
J/P Num: 33871(04) **Proj. Num:** NHPP-013N(249)PM
Counties: BRYAN
Description: BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY			
0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0020	202(A)2200	UNCLASSIFIED EXCAVATION	21,236.000	CY
0030	202(D)2500	UNCLASSIFIED BORROW	1,000.000	CY
0040	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0050	221(B)2300	TEMPORARY SILT FENCE	4,760.000	LF
0060	221(C)2400	TEMPORARY SEDIMENT FILTER	1.000	EA
0070	221(E)2600	TEMPORARY SILT DIKE	112.000	LF
0080	230(A)7200	SOLID SLAB SODDING	32,676.000	SY
0090	233(A)0200	VEGETATIVE MULCHING	7.000	AC
0100	241 3100	MOWING	14.000	AC
0110	242 4101	STABILIZED CONSTRUCTION EXIT	2.000	EA
0120	303(A)1200	AGGREGATE BASE TYPE A	10,812.000	CY
0130	326(C)1100	(SP) WOVEN GEOSYNTHETIC REINFORCEMENT FABRIC	33,026.000	SY
0140	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	5,614.000	TON
0150	407(B)7300	TACK COAT	1,654.000	GAL
0160	408 8100	PRIME COAT	6,079.000	GAL
0170	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	4,952.000	TON
0175	411(C)1400	SUPERPAVE, TYPE S4(PG 76-28 OK)	600.000	TON
0180	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	84.000	TON
0185	412 3100	COLD MILLING PAVEMENT	423.000	SY
0190	414(A)5200	P.C.CONCRETE PAVEMENT(PLACEMENT)	8,678.000	SY
0200	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	23,728.000	SY
0210	414(G)5800	P.C. CONCRETE FOR PAVEMENT	9,261.000	CY
0220	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	16.000	CY
0230	509(A)0200	CLASS AA CONCRETE	17.700	CY
0240	509(D)0500	CLASS C CONCRETE	10.000	CY
0250	511(A)2200	REINFORCING STEEL	2,930.000	LB
0260	609(A)4270	CONC.CURB(8" BARRIER-INTEGRAL)	2,217.000	LF
0270	610(C)5400	4" CONCRETE DIVIDING STRIP	7,261.000	SY
0280	611(G)0354	INLET (SMD-TYPE 2)	2.000	EA
0290	611(G)0362	INLET (SMD-TYPE 2B)	1.000	EA
0300	611(G)7754	INLET CI DES. 2 (STD)	1.000	EA
0310	611(H)0400	ADDITIONAL DEPTH IN INLET	8.020	VF
0320	613(A)5208	18" R.C.PIPE CLASS III	90.000	LF
0330	613(A)5216	24" R.C.PIPE CLASS III	132.000	LF
0340	613(B)5508	18" CORR. GALV. STEEL PIPE	100.000	LF
0350	613(L)6708	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
0360	613(L)6716	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
0370	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
0380	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	10,244.680	SY
0390	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	4,335.000	SY
0400	619(B)6376	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	10,943.000	SY
0410	619(B)6396	REMOVAL OF GUARDRAIL	1,696.000	LF
0420	619(B)6400	REMOVAL OF CURB	4,074.000	LF
0430	619(B)6460	REMOVAL OF 4" CONCRETE DIVIDING STRIP	609.000	SY

Proposal:260124 **Let Date:**May 07, 2026 **Call Order:**710
J/P Num:33871(04) **Proj. Num:**NHPP-013N(249)PM
Counties:BRYAN
Description:BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY			
0440	619(C)6600	SAWING PAVEMENT	748.000	LF
0450	623 1100	(PL)GUARDRAIL CURBING	8.000	EA
0460	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	1,687.500	LF
0470	623(F)1764	GUARDRAIL TRAIL END TURNDOWN (31")	2.000	EA
0480	623(G)1820	GUARDRAIL END TREATMENT (31")	6.000	EA
0490	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	8.000	EA
0500	624(E)3625	FENCE-STYLE CLF (6'HIGH, CLASS B)	720.000	LF
0505	642 3100	GPS SURVEY EQUIPMENT	1.000	LSUM
0002	BRIDGE A - NBI NO. 33199			
0510	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
0520	501(G)1800	CLSM BACKFILL	180.000	CY
0530	504(A)5200	APPROACH SLAB	307.800	SY
0540	504(B)5300	SAW-CUT GROOVING	1,194.400	SY
0550	504(E)5520	42" F-SHAPED PARAPET	861.000	LF
0560	506(A)7200	STRUCTURAL STEEL	210,110.000	LB
0570	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	5.000	EA
0580	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
0590	509(A)0210	CLASS AA CONCRETE	261.600	CY
0600	509(B)0320	CLASS A CONCRETE	204.700	CY
0610	509(D)0510	CLASS C CONCRETE	5.000	CY
0620	510(C)1450	SLOPE WALL (5")	1,157.000	SY
0630	511(A)2210	REINFORCING STEEL	1,420.000	LB
0640	511(B)2310	EPOXY COATED REINFORCING STEEL	135,280.000	LB
0650	513(B)4300	CLASS B BRIDGE DECK REPAIR	210.000	SY
0660	513(C)4400	CLASS C BRIDGE DECK REPAIR	40.000	SY
0670	514(A)5210	PILES, FURNISHED (HP 10X42)	166.000	LF
0680	514(A)5220	PILES, FURNISHED (HP 12X53)	543.000	LF
0690	514(B)5310	PILES, DRIVEN (HP 10X42)	166.000	LF
0700	514(B)5320	PILES, DRIVEN (HP 12X53)	543.000	LF
0710	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
0720	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	628.000	SY
0730	516(A)8240	DRILLED SHAFTS 60" DIAMETER	180.000	LF
0740	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
0750	517 9110	ELASTOMERIC COATING	1,092.000	SF
0760	518(B)0300	SEALED EXPANSION JOINTS	79.500	LF
0770	523(A)3200	SEALER CRACK PREPARATION	251.000	LF
0780	523(B)3300	SEALER RESIN	2.800	GAL
0790	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	216.000	LF
0800	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	221.000	LF
0810	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0820	624(E)3610	FENCE-STYLE CLF (5'HIGH, CLASS A)	206.000	LF

Proposal:260124 **Let Date:**May 07, 2026 **Call Order:**710
J/P Num:33871(04) **Proj. Num:**NHPP-013N(249)PM
Counties:BRYAN
Description:BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

Line #		Item Description	Quantity	Unit
0003	BRIDGE B - NBI NO. 33200			
0830	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	230.000	CY
0840	501(G)1800	CLSM BACKFILL	320.000	CY
0850	504(A)5200	APPROACH SLAB	413.400	SY
0860	504(B)5300	SAW-CUT GROOVING	1,585.400	SY
0870	504(E)5520	42" F-SHAPED PARAPET	631.400	LF
0880	506(A)7200	STRUCTURAL STEEL	452,150.000	LB
0890	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
0900	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	12.000	EA
0910	509(A)0210	CLASS AA CONCRETE	333.000	CY
0920	509(B)0320	CLASS A CONCRETE	188.700	CY
0930	509(D)0510	CLASS C CONCRETE	4.900	CY
0940	510(C)1450	SLOPE WALL (5")	1,231.000	SY
0950	511(A)2210	REINFORCING STEEL	580.000	LB
0960	511(B)2310	EPOXY COATED REINFORCING STEEL	140,160.000	LB
0970	513(B)4300	CLASS B BRIDGE DECK REPAIR	215.000	SY
0980	513(C)4400	CLASS C BRIDGE DECK REPAIR	45.000	SY
0990	514(A)5210	PILES, FURNISHED (HP 10X42)	190.000	LF
1000	514(A)5220	PILES, FURNISHED (HP 12X53)	968.000	LF
1010	514(B)5310	PILES, DRIVEN (HP 10X42)	190.000	LF
1020	514(B)5320	PILES, DRIVEN (HP 12X53)	968.000	LF
1030	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
1040	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	435.000	SY
1050	516(A)8240	DRILLED SHAFTS 60" DIAMETER	96.000	LF
1060	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
1070	517 9110	ELASTOMERIC COATING	1,017.000	SF
1080	518(B)0300	SEALED EXPANSION JOINTS	52.000	LF
1090	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	262.000	LF
1100	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	241.000	LF
1110	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal:260124 **Let Date:**May 07, 2026 **Call Order:**710
J/P Num:33871(04) **Proj. Num:**NHPP-013N(249)PM
Counties:BRYAN
Description:BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

Line #		Item Description	Quantity	Unit
0004	BRIDGE C - NBI NO. 33201			
1120	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
1130	501(G)1800	CLSM BACKFILL	263.000	CY
1140	504(A)5200	APPROACH SLAB	412.200	SY
1150	504(B)5300	SAW-CUT GROOVING	1,601.000	SY
1160	504(E)5520	42" F-SHAPED PARAPET	862.400	LF
1170	506(A)7200	STRUCTURAL STEEL	292,950.000	LB
1180	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	7.000	EA
1190	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	28.000	EA
1200	509(A)0210	CLASS AA CONCRETE	339.000	CY
1210	509(B)0320	CLASS A CONCRETE	275.400	CY
1220	509(D)0510	CLASS C CONCRETE	11.000	CY
1230	510(C)1450	SLOPE WALL (5")	1,334.000	SY
1240	511(A)2210	REINFORCING STEEL	2,020.000	LB
1250	511(B)2310	EPOXY COATED REINFORCING STEEL	162,740.000	LB
1260	514(A)5210	PILES, FURNISHED (HP 10X42)	194.000	LF
1270	514(A)5220	PILES, FURNISHED (HP 12X53)	819.000	LF
1280	514(B)5310	PILES, DRIVEN (HP 10X42)	194.000	LF
1290	514(B)5320	PILES, DRIVEN (HP 12X53)	819.000	LF
1300	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
1310	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	740.000	SY
1320	516(A)8240	DRILLED SHAFTS 60" DIAMETER	297.000	LF
1330	516(C)8400	CROSSHOLE SONIC LOGGING	2.000	EA
1340	517 9110	ELASTOMERIC COATING	1,734.000	SF
1350	518(B)0300	SEALED EXPANSION JOINTS	104.000	LF
1360	523(A)3200	SEALER CRACK PREPARATION	324.000	LF
1370	523(B)3300	SEALER RESIN	3.600	GAL
1380	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	258.000	LF
1390	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	189.000	LF
1400	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
1410	624(E)3610	FENCE-STYLE CLF (5'HIGH, CLASS A)	206.000	LF

Proposal:260124 **Let Date:**May 07, 2026 **Call Order:**710
J/P Num:33871(04) **Proj. Num:**NHPP-013N(249)PM
Counties:BRYAN
Description:BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

Line #		Item Description	Quantity	Unit
0005	BRIDGE D - NBI NO. 33202			
1420	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	235.000	CY
1430	501(G)1800	CLSM BACKFILL	314.000	CY
1440	504(A)5200	APPROACH SLAB	413.400	SY
1450	504(B)5300	SAW-CUT GROOVING	1,585.400	SY
1460	504(E)5520	42" F-SHAPED PARAPET	631.400	LF
1470	506(A)7200	STRUCTURAL STEEL	452,150.000	LB
1480	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
1490	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	12.000	EA
1500	509(A)0210	CLASS AA CONCRETE	333.000	CY
1510	509(B)0320	CLASS A CONCRETE	185.500	CY
1520	509(D)0510	CLASS C CONCRETE	5.000	CY
1530	510(C)1450	SLOPE WALL (5")	1,243.000	SY
1540	511(A)2210	REINFORCING STEEL	580.000	LB
1550	511(B)2310	EPOXY COATED REINFORCING STEEL	139,130.000	LB
1560	514(A)5210	PILES, FURNISHED (HP 10X42)	176.000	LF
1570	514(A)5220	PILES, FURNISHED (HP 12X53)	875.000	LF
1580	514(B)5310	PILES, DRIVEN (HP 10X42)	176.000	LF
1590	514(B)5320	PILES, DRIVEN (HP 12X53)	875.000	LF
1600	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
1610	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	433.000	SY
1620	516(A)8240	DRILLED SHAFTS 60" DIAMETER	81.000	LF
1630	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
1640	517 9110	ELASTOMERIC COATING	990.000	SF
1650	518(B)0300	SEALED EXPANSION JOINTS	52.000	LF
1660	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	258.000	LF
1670	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	144.000	LF
1680	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0006	TRAFFIC SIGNING AND STRIPING			
1690	804(A)2200	STRUCTURAL CONCRETE	3.680	CY
1700	804(B)2300	REINFORCING STEEL	648.000	LB
1710	805(A)3252	(PL)REMOVAL OF EXISTING SIGNS	26.000	EA
1720	805(D)3528	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
1730	850(A)1200	SHEET ALUMINUM SIGNS	498.000	SF
1740	850(B)1310	EXTRUDED ALUMINUM PANEL SIGNS	174.000	SF
1750	851(A)2200	4"@13 GALV.STL.WD.FLANGE BM.POST	83.500	LF
1760	851(A)2210	6"@20 GALV.STL.WD.FLANGE BM.POST	35.500	LF
1770	851(C)2420	2 1/4" SQUARE TUBE POST	253.500	LF
1780	851(C)2430	2 1/2" SQUARE TUBE POST	13.000	LF
1790	853 5130	DELINEATORS(TYPE 1, CODE 1, FLEXIBLE)	8.000	EA
1800	853 5170	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	50.000	EA
1810	856(A)8207	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(6" WIDE)	28,245.000	LF
1820	856(A)8215	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(12" WIDE)	490.000	LF
1830	856(A)8219	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(24" WIDE)	45.000	LF
1840	856(B)8307	(SP) TRAFFIC STRIPE(PLURAL-COMP)(ARROWS)	3.000	EA

Proposal:260124 **Let Date:**May 07, 2026 **Call Order:**710
J/P Num:33871(04) **Proj. Num:**NHPP-013N(249)PM
Counties:BRYAN
Description:BRIDGE AND APPROACHES
US-69: OVER ARKANSAS STREET, KIAMICHI RAILROAD,
AND MAIN STREET, 1.8 MILES NORTH OF THE US-70 INTERCHANGE IN THE CITY OF DURANT.
PROJECT LENGTH = 0.988 MILES

	Line #		Item Description	Quantity	Unit
0007	CABLE BARRIER				
	1850	509(A)0200	CLASS AA CONCRETE	20.000	CY
	1860	619(B)6432	REMOVAL OF CABLE BARRIER	3,212.000	LF
	1870	628 7100	INSTALLATION OF CABLE BARRIER SYSTEM	3,212.000	LF
	1880	628(C)7400	END ANCHORS	4.000	EA
0008	TRAFFIC LIGHTING AND SIGNALS				
	1890	802(B)0324	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,463.000	LF
	1900	803(A)1210	PULL BOX(SIZE I)	13.000	EA
	1910	804(A)2200	STRUCTURAL CONCRETE	19.680	CY
	1920	804(B)2300	REINFORCING STEEL	3,408.000	LB
	1930	805(D)3500	(PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM
	1940	805(D)3504	(PL)REMOVE & RESET LIGHT POLE	12.000	EA
0009	TRAFFIC CONTROL				
	1950	104 3250	(SP) RAILROAD FLAGGING(NON-BIDDABLE)	150.000	DAY
	1960	823 6100	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	30.000	SD
	1970	857(A)9200	CONSTRUCTION TRAFFIC STR.(PAINT)(4" WIDE)	41,400.000	LF
	1980	857(C)9400	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	15,000.000	LF
	1990	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	56,715.000	LF
	2000	871(B)2300	CONST.ZONE IMPACT ATTEN.	80.000	SD
	2010	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	5,162.500	LF
	2020	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	4,375.000	LF
	2030	880(A)6220	ARROW DISPLAY(TYPE C)	1,000.000	SD
	2040	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	24,746.000	SD
	2050	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	22,750.000	SD
	2060	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	16,194.000	SD
	2070	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	12,620.000	SD
	2080	880(E)6607	WARNING LIGHTS(TYPE B)	37,414.000	SD
	2090	880(F)6700	DRUMS	71,750.000	SD
	2100	880(G)6805	CHANNELIZER CONES	10,940.000	SD
	2110	880(L)7310	(SP) TRAFFIC SURVEILLANCE, OHP (NON-BID)	2,500.000	HOUR
	2120	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	1,548.000	SD
0010	STAKING				
	2130	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0011	CONSTRUCTION				
	2140	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
	2150	640(A)1210	FIELD OFFICE	1.000	EA
	2160	641 2110	MOBILIZATION	1.000	LSUM