Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY - OTA			
0010	201(A)1200	CLEARING AND GRUBBING	1.000	LSUM
0020	202(A)2200	UNCLASSIFIED EXCAVATION	198,171.000	CY
0030	202(D)2500	UNCLASSIFIED BORROW	736,070.000	CY
0040	205(A)6200	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
0050	221(B)2300	TEMPORARY SILT FENCE	51,161.000	LF
0060	221(D)2500	TEMPORARY SEDIMENT BASIN	2.000	EA
0070	221(G)2800	TEMPORARY FIBER LOG	46,074.000	LF
0080	221(H)2900	(PL)TEMPORARY INLET SEDIMENT FILTER	33.000	EA
0090	221(M)3400	TEMPORARY ENVIRONMENTAL FENCE	120.000	LF
0100	228 5100	EROSION CONTROL MAT	1,359.000	SY
0110	229 6100	DITCH LINER PROTECTION	1,630.000	LF
0120	230(A)7200	SOLID SLAB SODDING	793,473.000	SY
0130	232(B)9300	SEEDING METHOD B	268.000	AC
0140	233(E)0600	(SP) HYDROMULCH	793,473.000	SY
0150	241 3100	MOWING	329.000	AC
0160	242 4101	STABILIZED CONSTRUCTION EXIT	10.000	EA
0170	307(K)4200	STABILIZED SUBGRADE	97,725.000	SY
0180	325 0100	SEPARATOR FABRIC	1,187.000	SY
0190	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
0200	407(B)7300	TACK COAT	837.000	GAL
0210	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	21,209.000	TON
0220	411(C)1400	SUPERPAVE, TYPE S4(PG 76-28 OK)	97.000	TON
0230	411(C)1420	SUPERPAVE, TYPE S4(PG 70-28 OK)	156.000	TON
0240	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,037.000	TON
0250	414(A)5200	P.C.CONCRETE PAVEMENT(PLACEMENT)	31,584.000	SY
0260	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	49,906.000	SY
0270	414(G)5800	P.C. CONCRETE FOR PAVEMENT	22,443.000	CY
0280	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	67.000	CY
0290	501(G)1810	CLSM BACKFILL	13.000	CY
0300	504(E)5520	42" F-SHAPED PARAPET	1,428.000	LF
0310	509(A)0200	CLASS AA CONCRETE	204.000	CY
0320	509(B)0310	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	242.000	CY
0330	509(D)0500	CLASS C CONCRETE	338.000	CY
0340	511(A)2200	REINFORCING STEEL	10,597.000	LB
0350	511(B)2300	EPOXY COATED REINFORCING STEEL	71,892.000	LB
0360	511(C)2400	GALVANIZED REINFORCING STEEL	77.000	LB
0370	601(A)1100	TYPE I PLAIN RIPRAP	506.000	TON
0380	601(B)1220	TYPE I-A PLAIN RIPRAP	1,172.000	TON
0390	601(C)1300	TYPE I-A FILTER BLANKET	209.000	TON
0400	609(A)4230	CONC.CURB(6" BARRIER-INTEGRAL)	126.000	LF
0410	611(A)7210	MANHOLE (4' DIA.)	2.000	EA
0420	611(A)7215	MANHOLE (5' DIA.)	1.000	EA
0430	611(A)7220	MANHOLE (6' DIA.)	3.000	EA
0440	611(B)7300	ADD'L.DEPTH IN MANHOLE (4' DIA.)	13.000	VF
0450	611(B)7305	ADD'L.DEPTH IN MANHOLE (5' DIA.)	1.000	VF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0001	ROADWAY - OTA			
0460	611(B)7310	ADD'L.DEPTH IN MANHOLE (6' DIA.)	35.000	VF
0470	611(G)0354	INLET (SMD-TYPE 2)	12.000	EA
0480	611(G)7754	INLET CI DES. 2 (STD)	3.000	EA
0490	611(G)8155	INLET - LONG. BARRIER - TYPE I, DES.2	4.000	EA
0500	611(H)0414	ADD'L DEPTH IN INLET CI DES. 2	10.000	VF
0510	611(H)0990	ADD'L DEPTH IN INLET SMD TYPE 2	13.000	VF
0520	613(A)5208	18" R.C.PIPE CLASS III	2,601.000	LF
0530	613(A)5216	24" R.C.PIPE CLASS III	226.000	LF
0540	613(A)5220	30" R.C.PIPE CLASS III	287.000	LF
0550	613(A)5228	42" R.C.PIPE CLASS III	216.000	LF
0560	613(A)5232	48" R.C.PIPE CLASS III	504.000	LF
0570	613(L)6708	18" PREFAB. CULVERT END SEC., ROUND	20.000	EA
0580	613(L)6716	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
0590	613(L)6724	30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
0600	613(L)6732	42" PREFAB. CULVERT END SEC., ROUND	1.000	EA
0610	619(A)6200	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
0620	619(B)6356	REMOVAL OF CURB AND GUTTER	5,284.000	LF
0630	619(B)6360	REMOVAL OF CONCRETE PAVEMENT	51,026.000	SY
0640	619(B)6364	REMOVAL OF ASPHALT PAVEMENT	96,379.000	SY
0650	619(B)6396	REMOVAL OF GUARDRAIL	3,510.000	LF
0660	619(B)6404	REMOVAL OF SIDEWALK	271.000	SY
0670	619(B)6416	REMOVAL OF CONCRETE MEDIAN BARRIER	362.000	LF
0680	619(B)6432	REMOVAL OF CABLE BARRIER	1,359.000	LF
0690	619(B)6436	REMOVAL OF CONCRETE DITCH LINER	202.000	LF
0700	619(B)6460	REMOVAL OF 4" CONCRETE DIVIDING STRIP	274.000	SY
0710	619(B)6508	REMOVE AND RESET CATTLE GUARD	1.000	EA
0720	619(C)6600	SAWING PAVEMENT	15,284.000	LF
0730	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	1,613.000	LF
0740	623(G)1820	GUARDRAIL END TREATMENT (31")	12.000	EA
0750	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	13.000	EA
0760	624(A)3200	FENCE-STYLE WWF	29,858.000	LF
0770	624(B)3350	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000	EA
0780	624(B)3380	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	2.000	EA
0790	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	230.000	LF
0800	624(E)3625	FENCE-STYLE CLF (6'HIGH, CLASS B)	436.000	LF
0810	624(F)3724	GATES-STYLE CLF (4'HIGH X 18'LONG)	1.000	EA
0820	627(A)6200	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	1,593.000	LF
0830	627(B)6300	CONCRETE LONGITUDINAL BARRIER END SEC.	14.000	EA
0840	629(D)7500	REMOVE AND RESET MAILBOX	2.000	EA

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0002	ROADWAY - ODOT			
0850	202(A)2200	UNCLASSIFIED EXCAVATION	33,327.000	CY
0860	202(D)2500	UNCLASSIFIED BORROW	195,860.000	CY
0870	229 6100	DITCH LINER PROTECTION	409.000	LF
0880	307(K)4200	STABILIZED SUBGRADE	27,924.000	SY
0890	407(B)7300	TACK COAT	1,900.000	GAL
0900	411(B)1300	SUPERPAVE, TYPE S3(PG 76-28 OK)	1,476.000	TON
0910	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	7,223.000	TON
0920	411(C)1400	SUPERPAVE, TYPE S4(PG 76-28 OK)	970.000	TON
0930	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	303.000	TON
0940	414(A)5200	P.C.CONCRETE PAVEMENT(PLACEMENT)	2,126.000	SY
0950	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	12,257.000	SY
0960	414(G)5800	P.C. CONCRETE FOR PAVEMENT	3,949.000	CY
0970	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	177.000	CY
0980	509(A)0200	CLASS AA CONCRETE	502.000	CY
0990	509(D)0500	CLASS C CONCRETE	75.000	CY
1000	511(A)2200	REINFORCING STEEL	61,623.000	LB
1010	511(B)2300	EPOXY COATED REINFORCING STEEL	6,923.000	LB
1020	601(B)1220	TYPE I-A PLAIN RIPRAP	333.000	TON
1030	609(A)4230	CONC.CURB(6" BARRIER-INTEGRAL)	979.000	LF
1040	609(A)4240	CONC.CURB(6" BARRIER-DOWELLED)	421.000	LF
1050	609(B)4360	2'-8" COMB.CRB.& GUT.(6" BARRIER)	303.000	LF
1060	610(C)5400	4" CONCRETE DIVIDING STRIP	712.000	SY
1070	610(C)5430	DECORATIVE MEDIAN CONCRETE	1,744.000	SY
1080	611(A)7252	PRECAST CONC RND 4' DIA MANHOLE	8.000	EA
1090	611(A)7257	PRECAST CONC RND 5' DIA MANHOLE	6.000	EA
1100	611(B)7242	ADD'L DEPTH PRECAST RND 4' MANHOLE	38.000	VF
1110	611(B)7247	ADD'L DEPTH PRECAST RND 5' MANHOLE	26.000	VF
1120	611(G)0354	INLET (SMD-TYPE 2)	4.000	EA
1130	611(G)7864	PRECAST INLET CI DES. 2 (STD)	8.000	EA
1140	611(G)8065	SPECIAL INLET CDI RCB DES. SP-1	2.000	EA
1150	611(G)8155	INLET - LONG. BARRIER - TYPE I, DES.2	3.000	EA
1160	611(H)0434	ADD'L DEPTH IN PRECAST INLET CI DES. 2	40.000	VF
1170	611(H)0640	ADD'L DEPTH IN INLET MED. BAR. DES. 1	28.000	VF
1180	611(H)0990	ADD'L DEPTH IN INLET SMD TYPE 2	23.000	VF
1190	613(A)5208	18" R.C.PIPE CLASS III	1,340.000	LF
1200	613(A)5216	24" R.C.PIPE CLASS III	216.000	LF
1210	613(B)5508	18" CORR. GALV. STEEL PIPE	142.000	LF
1220	613(L)6708	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
1230	613(L)6716	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
1240	613(M)7008	TYPE B6 CULVERT END TREATMENT	2.000	EA
1250	613(P)7400	18" GALV. STEEL CULVERT END SEC. RND.	2.000	EA
1260	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	175.000	LF
1270	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	1.000	EA
1280	626(A)5210	REMOVE AND RESET MONUMENT	1.000	EA
1290	627(A)6200	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	577.000	LF

Proposal: 260153 **Let Date:** June 18, 2026 **Call Order:** 070
J/P Num: 37100(09) **Proj. Num:** EWC-28801A
Counties: MCCLAIN
Description: GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0002	ROADWAY - ODOT			
1300	627(B)6300	CONCRETE LONGITUDINAL BARRIER END SEC.	9.000	EA

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0003	ROADWAY - CITY OF NEWCASTLE			
1310	202(A)2200	UNCLASSIFIED EXCAVATION	231,267.000	CY
1320	202(D)2500	UNCLASSIFIED BORROW	43,489.000	CY
1330	229 6100	DITCH LINER PROTECTION	2,073.000	LF
1340	307(K)4200	STABILIZED SUBGRADE	68,926.000	SY
1350	402(E)2600	TRAFFIC BOUND SURFACE COURSE TYPE E	75.000	TON
1360	407(B)7300	TACK COAT	10,405.000	GAL
1370	411(B)1320	SUPERPAVE, TYPE S3(PG 70-28 OK)	9,841.000	TON
1380	411(B)1330	SUPERPAVE, TYPE S3(PG 64-22 OK)	21,545.000	TON
1390	411(C)1430	SUPERPAVE, TYPE S4(PG 64-22 OK)	93.000	TON
1400	411(D)1520	SUPERPAVE, TYPE S5(PG 70-28 OK)	6,377.000	TON
1410	414(A)5200	P.C.CONCRETE PAVEMENT(PLACEMENT)	161.000	SY
1420	414(B)5300	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	8,626.000	SY
1430	414(G)5800	P.C. CONCRETE FOR PAVEMENT	2,441.000	CY
1440	501(A)1200	STRUCTURAL EXCAVATION UNCLASSIFIED	149.000	CY
1450	509(A)0200	CLASS AA CONCRETE	577.000	CY
1460	509(D)0500	CLASS C CONCRETE	385.000	CY
1470	511(A)2200	REINFORCING STEEL	74,648.000	LB
1480	511(B)2300	EPOXY COATED REINFORCING STEEL	5,090.000	LB
1490	601(A)1100	TYPE I PLAIN RIPRAP	75.000	TON
1500	601(B)1220	TYPE I-A PLAIN RIPRAP	181.000	TON
1510	609(A)4230	CONC.CURB(6" BARRIER-INTEGRAL)	3,127.000	LF
1520	609(B)4360	2'-8" COMB.CRB.& GUT.(6" BARRIER)	3,246.000	LF
1530	610(A)5200	4" CONCRETE SIDEWALK	206.000	SY
1540	610(B)5310	6" CONCRETE DRIVEWAY	237.000	SY
1550	610(B)5320	8" CONCRETE DRIVEWAY	1,059.000	SY
1560	610(C)5400	4" CONCRETE DIVIDING STRIP	549.000	SY
1570	611(A)7210	MANHOLE (4' DIA.)	1.000	EA
1580	611(A)7215	MANHOLE (5' DIA.)	1.000	EA
1590	611(B)7300	ADD'L.DEPTH IN MANHOLE (4' DIA.)	10.000	VF
1600	611(B)7305	ADD'L.DEPTH IN MANHOLE (5' DIA.)	3.000	VF
1610	611(G)7754	INLET CI DES. 2 (STD)	3.000	EA
1620	611(H)0414	ADD'L DEPTH IN INLET CI DES. 2	11.000	VF
1630	613(A)5208	18" R.C.PIPE CLASS III	634.000	LF
1640	613(A)5216	24" R.C.PIPE CLASS III	319.000	LF
1650	613(A)5220	30" R.C.PIPE CLASS III	222.000	LF
1660	613(A)5224	36" R.C.PIPE CLASS III	66.000	LF
1670	613(A)5228	42" R.C.PIPE CLASS III	334.000	LF
1680	613(A)5232	48" R.C.PIPE CLASS III	476.000	LF
1690	613(A)5236	54" R.C.PIPE CLASS III	62.000	LF
1700	613(A)5370	43" X 26" R.C.PIPE ARCH CLASS A-III	112.000	LF
1710	613(A)5382	65" X 40" R.C.PIPE ARCH CLASS A-III	144.000	LF
1720	613(B)5508	18" CORR. GALV. STEEL PIPE	140.000	LF
1730	613(B)5528	36" CORR. GALV. STEEL PIPE	224.000	LF
1740	613(L)6648	43" X 26" PREFAB. CULVERT END SEC., ARCH	4.000	EA
1750	613(L)6708	18" PREFAB. CULVERT END SEC., ROUND	5.000	EA

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0003	ROADWAY - CITY OF NEWCASTLE			
1760	613(L)6716	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
1770	613(L)6724	30" PREFAB. CULVERT END SEC., ROUND	6.000	EA
1780	613(L)6728	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
1790	613(L)6732	42" PREFAB. CULVERT END SEC., ROUND	1.000	EA
1800	613(L)6736	48" PREFAB. CULVERT END SEC., ROUND	1.000	EA
1810	613(L)6740	54" PREFAB. CULVERT END SEC., ROUND	2.000	EA
1820	613(M)6960	TYPE A4 CULVERT END TREATMENT	9.000	EA
1830	613(M)6964	TYPE B4 CULVERT END TREATMENT	2.000	EA
1840	613(M)6972	TYPE D4 CULVERT END TREATMENT	4.000	EA
1850	613(M)6976	TYPE E4 CULVERT END TREATMENT	2.000	EA
1860	613(P)7400	18" GALV. STEEL CULVERT END SEC. RND.	4.000	EA
1870	613(P)7412	36" GALV. STEEL CULVERT END SEC. RND.	3.000	EA
1880	623(A)1200	BEAM GUARDRAIL W-BEAM SINGLE	350.000	LF
1890	623(G)1820	GUARDRAIL END TREATMENT (31")	3.000	EA
1900	623(I)2050	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	5.000	EA

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

	Line #		Item Description	Quantity	Unit
0004	BRIDGE "A" NBI 33643				
	1910	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	135.000	CY
	1920	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	320.000	CY
	1930	501(F)1700	GRANULAR BACKFILL	80.000	CY
	1940	501(G)1800	CLSM BACKFILL	315.000	CY
	1950	504(A)5200	APPROACH SLAB	537.200	SY
	1960	504(B)5300	SAW-CUT GROOVING	1,765.000	SY
	1970	504(D)5420	CONCRETE RAIL (TR4)	552.500	LF
	1980	504(E)5500	CONCRETE PARAPET	300.000	LF
	1990	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	290,000.000	LB
	2000	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	7.000	EA
	2010	507(B)8310	WEATHERING STL EXP. BEARING ASSEMBLY	21.000	EA
	2020	509(A)0210	CLASS AA CONCRETE	601.300	CY
	2030	509(B)0320	CLASS A CONCRETE	340.100	CY
	2040	510(C)1450	SLOPE WALL (5")	170.000	SY
	2050	510(D)1500	GRAFFITI TREATMENT	7,578.000	SF
	2060	511(A)2210	REINFORCING STEEL	44,320.000	LB
	2070	511(B)2310	EPOXY COATED REINFORCING STEEL	179,630.000	LB
	2080	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	2,847.000	SY
	2090	516(A)8210	DRILLED SHAFTS 24" DIAMETER	222.000	LF
	2100	516(A)8230	DRILLED SHAFTS 48" DIAMETER	460.000	LF
	2110	516(A)8240	DRILLED SHAFTS 60" DIAMETER	344.000	LF
	2120	516(C)8400	CROSSHOLE SONIC LOGGING	4.000	EA
	2130	517 9110	ELASTOMERIC COATING	1,760.000	SF
	2140	518(B)0300	SEALED EXPANSION JOINTS	157.900	LF
	2150	523(A)3200	SEALER CRACK PREPARATION	320.000	LF
	2160	523(B)3300	SEALER RESIN	3.600	GAL
	2170	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
	2180	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	162.000	LF
	2190	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
	2200	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0005	BRIDGE "H-1" NBI 33640			
2210	501(G)1800	CLSM BACKFILL	233.000	CY
2220	503(A)4240	PRESTRESSED CONCRETE BEAMS (TYPE IV)	971.670	LF
2230	504(A)5200	APPROACH SLAB	341.200	SY
2240	504(B)5300	SAW-CUT GROOVING	1,283.400	SY
2250	504(E)5520	42" F-SHAPED PARAPET	525.200	LF
2260	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	1,080.000	LB
2270	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	10.000	EA
2280	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	10.000	EA
2290	509(A)0210	CLASS AA CONCRETE	259.100	CY
2300	509(B)0320	CLASS A CONCRETE	183.900	CY
2310	510(C)1450	SLOPE WALL (5")	492.000	SY
2320	510(D)1500	GRAFFITI TREATMENT	6,929.000	SF
2330	511(A)2210	REINFORCING STEEL	1,300.000	LB
2340	511(B)2310	EPOXY COATED REINFORCING STEEL	102,080.000	LB
2350	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	2,151.000	SY
2360	516(A)8210	DRILLED SHAFTS 24" DIAMETER	134.000	LF
2370	516(A)8230	DRILLED SHAFTS 48" DIAMETER	669.000	LF
2380	516(A)8240	DRILLED SHAFTS 60" DIAMETER	120.000	LF
2390	516(C)8400	CROSSHOLE SONIC LOGGING	3.000	EA
2400	517 9110	ELASTOMERIC COATING	926.000	SF
2410	518(B)0300	SEALED EXPANSION JOINTS	45.270	LF
2420	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
2430	611(G)7700	SPECIAL INLET DRAIN	9.000	EA
2440	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	196.000	LF
2450	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	32.000	LF
2460	616(B)2336	6" POLYVINYL CHLORIDE (PVC) PIPE	27.000	LF
2470	616(B)2340	8" POLYVINYL CHLORIDE (PVC) PIPE	156.000	LF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

	Line #		Item Description	Quantity	Unit
0006	BRIDGE "H-2" NBI 33641				
	2480	501(G)1800	CLSM BACKFILL	233.000	CY
	2490	503(A)4240	PRESTRESSED CONCRETE BEAMS (TYPE IV)	971.670	LF
	2500	504(A)5200	APPROACH SLAB	341.200	SY
	2510	504(B)5300	SAW-CUT GROOVING	1,283.400	SY
	2520	504(E)5520	42" F-SHAPED PARAPET	525.200	LF
	2530	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	1,080.000	LB
	2540	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	10.000	EA
	2550	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	10.000	EA
	2560	509(A)0210	CLASS AA CONCRETE	259.100	CY
	2570	509(B)0320	CLASS A CONCRETE	166.400	CY
	2580	510(C)1450	SLOPE WALL (5")	376.000	SY
	2590	510(D)1500	GRAFFITI TREATMENT	6,883.000	SF
	2600	511(A)2210	REINFORCING STEEL	1,300.000	LB
	2610	511(B)2310	EPOXY COATED REINFORCING STEEL	98,460.000	LB
	2620	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	2,137.000	SY
	2630	516(A)8210	DRILLED SHAFTS 24" DIAMETER	135.000	LF
	2640	516(A)8230	DRILLED SHAFTS 48" DIAMETER	678.000	LF
	2650	516(A)8240	DRILLED SHAFTS 60" DIAMETER	120.000	LF
	2660	516(C)8400	CROSSHOLE SONIC LOGGING	3.000	EA
	2670	517 9110	ELASTOMERIC COATING	825.000	SF
	2680	518(B)0300	SEALED EXPANSION JOINTS	45.270	LF
	2690	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
	2700	611(G)7700	SPECIAL INLET DRAIN	9.000	EA
	2710	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	249.000	LF
	2720	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	32.000	LF
	2730	616(B)2336	6" POLYVINYL CHLORIDE (PVC) PIPE	27.000	LF
	2740	616(B)2340	8" POLYVINYL CHLORIDE (PVC) PIPE	156.000	LF
	2750	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

	Line #		Item Description	Quantity	Unit
0007	BRIDGE "K-1" NBI 33646				
	2760	501(G)1800	CLSM BACKFILL	180.800	CY
	2770	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	345.840	LF
	2780	504(A)5200	APPROACH SLAB	254.800	SY
	2790	504(B)5300	SAW-CUT GROOVING	586.900	SY
	2800	504(E)5520	42" F-SHAPED PARAPET	236.000	LF
	2810	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	180.000	LB
	2820	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
	2830	509(A)0210	CLASS AA CONCRETE	127.000	CY
	2840	509(B)0320	CLASS A CONCRETE	59.300	CY
	2850	510(C)1450	SLOPE WALL (5")	423.000	SY
	2860	510(D)1500	GRAFFITI TREATMENT	2,824.000	SF
	2870	511(B)2310	EPOXY COATED REINFORCING STEEL	42,730.000	LB
	2880	514(A)5210	PILES, FURNISHED (HP 10X42)	1,035.000	LF
	2890	514(B)5310	PILES, DRIVEN (HP 10X42)	1,035.000	LF
	2900	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	2910	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	930.000	SY
	2920	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	229.000	LF
	2930	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	31.000	LF
0008	BRIDGE "K-2" NBI 33647				
	2940	501(G)1800	CLSM BACKFILL	180.800	CY
	2950	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	345.840	LF
	2960	504(A)5200	APPROACH SLAB	254.800	SY
	2970	504(B)5300	SAW-CUT GROOVING	586.900	SY
	2980	504(E)5520	42" F-SHAPED PARAPET	236.000	LF
	2990	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	180.000	LB
	3000	507(A)8210	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
	3010	509(A)0210	CLASS AA CONCRETE	127.000	CY
	3020	509(B)0320	CLASS A CONCRETE	59.300	CY
	3030	510(C)1450	SLOPE WALL (5")	483.000	SY
	3040	510(D)1500	GRAFFITI TREATMENT	2,826.000	SF
	3050	511(B)2310	EPOXY COATED REINFORCING STEEL	42,730.000	LB
	3060	514(A)5210	PILES, FURNISHED (HP 10X42)	1,044.000	LF
	3070	514(B)5310	PILES, DRIVEN (HP 10X42)	1,044.000	LF
	3080	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
	3090	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	930.000	SY
	3100	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	250.000	LF
	3110	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	31.000	LF
0009	BRIDGE "L" NBI 15896				
	3120	202(A)2210	UNCLASSIFIED EXCAVATION	965.000	CY
	3130	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	280.000	CY
	3140	509(A)0210	CLASS AA CONCRETE	717.800	CY
	3150	511(A)2210	REINFORCING STEEL	102,960.000	LB
	3160	619(B)6304	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0010	BRIDGE "M" NBI 33642			
3170	202(A)2210	UNCLASSIFIED EXCAVATION	2,475.000	CY
3180	501(A)1210	STRUCTURAL EXCAVATION UNCLASSIFIED	330.000	CY
3190	509(A)0210	CLASS AA CONCRETE	770.600	CY
3200	511(A)2210	REINFORCING STEEL	167,430.000	LB
3210	619(D)6700	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
0011	BRIDGE "N" NBI 33645			
3220	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
3230	501(G)1800	CLSM BACKFILL	198.000	CY
3240	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,070.900	LF
3250	504(A)5200	APPROACH SLAB	296.800	SY
3260	504(B)5300	SAW-CUT GROOVING	1,193.800	SY
3270	504(E)5520	42" F-SHAPED PARAPET	565.200	LF
3280	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	1,510.000	LB
3290	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	10.000	EA
3300	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	20.000	EA
3310	509(A)0210	CLASS AA CONCRETE	247.000	CY
3320	509(B)0320	CLASS A CONCRETE	190.400	CY
3330	509(D)0510	CLASS C CONCRETE	15.000	CY
3340	510(C)1450	SLOPE WALL (5")	1,040.000	SY
3350	510(D)1500	GRAFFITI TREATMENT	16,107.000	SF
3360	511(A)2210	REINFORCING STEEL	1,780.000	LB
3370	511(B)2310	EPOXY COATED REINFORCING STEEL	97,810.000	LB
3380	514(A)5210	PILES, FURNISHED (HP 10X42)	256.000	LF
3390	514(A)5220	PILES, FURNISHED (HP 12X53)	855.000	LF
3400	514(B)5310	PILES, DRIVEN (HP 10X42)	256.000	LF
3410	514(B)5320	PILES, DRIVEN (HP 12X53)	855.000	LF
3420	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
3430	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	2,270.000	SY
3440	516(A)8240	DRILLED SHAFTS 60" DIAMETER	196.000	LF
3450	516(C)8400	CROSSHOLE SONIC LOGGING	1.000	EA
3460	517 9110	ELASTOMERIC COATING	1,270.000	SF
3470	518(B)0310	EXPANSION JOINT SYSTEM	40.400	LF
3480	523(A)3200	SEALER CRACK PREPARATION	42.000	LF
3490	523(B)3300	SEALER RESIN	0.500	GAL
3500	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	222.000	LF
3510	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0012	BRIDGE "O" NBI 33644			
3520	501(B)1300	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
3530	501(G)1800	CLSM BACKFILL	260.000	CY
3540	503(A)4230	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,285.000	LF
3550	504(A)5200	APPROACH SLAB	393.200	SY
3560	504(B)5300	SAW-CUT GROOVING	1,579.400	SY
3570	504(E)5520	42" F-SHAPED PARAPET	568.600	LF
3580	506(A)7225	STRUCTURAL STEEL M270 GRADE 50W	1,860.000	LB
3590	507(A)8200	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
3600	507(B)8300	STAINLESS STEEL EXP. BEARING ASSEMBLY	24.000	EA
3610	509(A)0210	CLASS AA CONCRETE	319.600	CY
3620	509(B)0320	CLASS A CONCRETE	243.400	CY
3630	509(D)0510	CLASS C CONCRETE	15.000	CY
3640	510(C)1450	SLOPE WALL (5")	1,200.000	SY
3650	510(D)1500	GRAFFITI TREATMENT	18,196.000	SF
3660	511(A)2210	REINFORCING STEEL	2,660.000	LB
3670	511(B)2310	EPOXY COATED REINFORCING STEEL	123,460.000	LB
3680	514(A)5210	PILES, FURNISHED (HP 10X42)	230.000	LF
3690	514(A)5220	PILES, FURNISHED (HP 12X53)	973.000	LF
3700	514(B)5310	PILES, DRIVEN (HP 10X42)	230.000	LF
3710	514(B)5320	PILES, DRIVEN (HP 12X53)	973.000	LF
3720	514(L)6300	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
3730	515(A)7200	WATER REPELLENT (VISUALLY INSPECTED)	2,704.000	SY
3740	516(A)8240	DRILLED SHAFTS 60" DIAMETER	300.000	LF
3750	516(C)8400	CROSSHOLE SONIC LOGGING	2.000	EA
3760	517 9110	ELASTOMERIC COATING	1,696.000	SF
3770	518(B)0310	EXPANSION JOINT SYSTEM	52.500	LF
3780	523(A)3200	SEALER CRACK PREPARATION	54.000	LF
3790	523(B)3300	SEALER RESIN	0.600	GAL
3800	613(H)6205	6" PERFORATED PIPE UNDERDRAIN ROUND	270.000	LF
3810	613(I)6310	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
0013	RETAINING WALL I-44-1			
3820	510(D)1500	GRAFFITI TREATMENT	4,358.000	SF
3830	510(D)1510	MSE RETAINING WALL	568.000	SY
3840	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
3850	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	415.000	LF
0014	RETAINING WALL RAMP B-1			
3860	510(D)1500	GRAFFITI TREATMENT	7,408.000	SF
3870	510(D)1510	MSE RETAINING WALL	661.000	SY
3880	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	487.000	LF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

	Line #		Item Description	Quantity	Unit
0015	RETAINING WALL RAMP D-1				
	3890	510(D)1500	GRAFFITI TREATMENT	10,352.000	SF
	3900	510(D)1510	MSE RETAINING WALL	1,427.000	SY
	3910	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
	3920	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	746.000	LF
0016	RETAINING WALL SH37-1				
	3930	502 3100	TEMPORARY EARTH RETAINAGE	1.000	LSUM
	3940	510(D)1500	GRAFFITI TREATMENT	2,265.000	SF
	3950	510(D)1510	MSE RETAINING WALL	299.000	SY
	3960	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
	3970	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	96.000	LF
0017	RETAINING WALL SH37-2				
	3980	510(D)1500	GRAFFITI TREATMENT	3,130.000	SF
	3990	510(D)1510	MSE RETAINING WALL	403.000	SY
	4000	535 7200	(SP) AESTHETIC TREATMENT	1.000	LSUM
	4010	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	132.000	LF
0018	RETAINING WALL NEF-1				
	4020	510(D)1500	GRAFFITI TREATMENT	2,867.000	SF
	4030	510(D)1510	MSE RETAINING WALL	375.000	SY
	4040	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	157.000	LF
0019	RETAINING WALL NEF-2				
	4050	510(D)1500	GRAFFITI TREATMENT	2,368.000	SF
	4060	510(D)1510	MSE RETAINING WALL	315.000	SY
	4070	624(E)3600	FENCE-STYLE CLF (4'HIGH, CLASS A)	139.000	LF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0020	TRAFFIC SIGNING AND STRIPING			
4080	509(D)0500	CLASS C CONCRETE	20.490	CY
4090	511(A)2200	REINFORCING STEEL	843.000	LB
4100	516(A)8230	DRILLED SHAFTS 48" DIAMETER	156.000	LF
4110	804(A)2200	STRUCTURAL CONCRETE	77.200	CY
4120	804(B)2300	REINFORCING STEEL	19,121.000	LB
4130	805(A)3248	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
4140	805(D)3528	(PL)REMOVE & RESET EXISTING SIGNS	10.000	EA
4150	850(A)1200	SHEET ALUMINUM SIGNS	1,533.880	SF
4160	850(B)1310	EXTRUDED ALUMINUM PANEL SIGNS	6,099.000	SF
4170	850(B)1320	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	543.250	SF
4180	851(A)2200	4"@13 GALV.STL.WD.FLANGE BM.POST	224.300	LF
4190	851(A)2205	6"@15 GALV.STL.WD.FLANGE BM.POST	406.700	LF
4200	851(A)2215	6"@25 GALV.STL.WD.FLANGE BM.POST	55.900	LF
4210	851(A)2220	8"@31 GALV.STL.WD.FLANGE BM.POST	518.500	LF
4220	851(A)2225	8"@35 GALV.STL.WD.FLANGE BM.POST	64.000	LF
4230	851(A)2235	10"@45 GALV.STL.WD.FLANGE BM.POST	904.800	LF
4240	851(C)2415	2" SQUARE TUBE POST	2,409.500	LF
4250	852(D)3578	OVHD.SN.STR., MONOTUBE B8	3.000	EA
4260	853 5145	DELINEATORS(TYPE 2, CODE 1, FLEXIBLE)	8.000	EA
4270	856(A)8207	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(6" WIDE)	140,680.000	LF
4280	856(A)8211	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(8" WIDE)	3,178.000	LF
4290	856(A)8215	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(12" WIDE)	12,440.000	LF
4300	856(A)8219	(SP) TRAFFIC STRIPE(PLURAL-COMPONENT)(24" WIDE)	534.000	LF
4310	856(B)8307	(SP) TRAFFIC STRIPE(PLURAL-COMP)(ARROWS)	39.000	EA
4320	856(B)8311	(SP) TRAFFIC STRIPE(PLURAL-COMP)(SYMBOLS)	3.000	EA
4330	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	100,000.000	LF
4340	858(A)0224	PAVE.MARKERS CLASS A TYPE 2-C	279.000	EA
4350	858(A)0232	PAVE.MARKERS CLASS A TYPE 2-E	49.000	EA
4360	870(A)1100	SAND FILLED IMPACT ATTEN.MODULE	57.000	EA
4370	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	115.000	LF
4380	880(B)6315	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4.000	EA
4390	880(C)6415	BARRICADES(TYPE III)	4.000	EA
4400	880(G)6810	TUBE CHANNELIZERS	18.000	EA
0021	TRAFFIC SAFETY - OTA			
4410	628(B)7300	HIGH-TENSION CABLE BARRIER(TL-4)	6,349.000	LF
4420	628(C)7400	END ANCHORS	6.000	EA
4430	628(E)7600	CABLE BARRIER TENSION METER	1.000	EA
4440	853 5170	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	46.000	EA
4450	871(A)2200	IMPACT ATTENUATOR	2.000	EA
4460	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	13.000	LF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

Line #		Item Description	Quantity	Unit
0022	TRAFFIC SAFETY - ODOT			
4470	628(B)7300	HIGH-TENSION CABLE BARRIER(TL-4)	1,410.000	LF
4480	628(C)7400	END ANCHORS	2.000	EA
4490	628(F)7700	(PL)HIGH TENSION CABLE BARR. RE-TENSION	2.000	EA
4500	853 5170	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	4.000	EA
4510	871(A)2200	IMPACT ATTENUATOR	2.000	EA
4520	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	588.000	LF
0023	TRAFFIC SAFETY - CITY OF NEWCASTLE			
4530	853 5170	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	7.000	EA
4540	853 5175	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	5.000	EA
0024	TRAFFIC SIGNALS			
4550	802(A)0255	3" GALV.STEEL ELECT.COND. EXPOSED	250.000	LF
4560	802(B)0324	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	485.000	LF
4570	802(B)0328	3" PVC SCH.40 PLASTIC CONDUIT BORED	630.000	LF
4580	802(B)0332	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	85.000	LF
4590	802(E)0610	JUNCTION BOX(8" X 8" X 6")	2.000	EA
4600	803(A)1220	PULL BOX(SIZE II)	10.000	EA
4610	804(A)2200	STRUCTURAL CONCRETE	37.800	CY
4620	804(B)2300	REINFORCING STEEL	5,536.800	LB
4630	806(A)4236	32'MH POLE,20'TS & 10'LMA(G.STL.)	2.000	EA
4640	806(A)4244	32'MH POLE,30'TS & 10'LMA(G.STL.)	6.000	EA
4645	806(B)4408	10' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
4650	809(A)7200	ROADWAY LUMINAIRE	8.000	EA
4655	810(A)8200	SERVICE POLE	1.000	EA
4660	811 9120	1/C NO.6 ELECT.COND.	200.000	LF
4670	811 9130	1/C NO.10 ELECT.COND.	4,250.000	LF
4680	825 8100	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
4690	828 0110	(PL)DETECTION SYSTEM (RADAR)	1.000	LSUM
4700	831 3124	1WAY3SEC.ADJ.SIG.HD.S-9	4.000	EA
4710	831 3128	1WAY3SEC.ADJ.SIG.HD.S-10	8.000	EA
4720	831 3132	1WAY3SEC.ADJ.SIG.HD.S-11	8.000	EA
4730	833 5100	BACKPLATE	20.000	EA
4740	834(A)6205	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	800.000	LF
4750	834(A)6235	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	5,150.000	LF
4760	840(B)0300	E.P.S. OPTICAL DETECTOR	8.000	EA
4770	840(C)0400	E.P.S. OPTICAL DETECTOR CABLE	3,850.000	LF
4780	840(D)0510	E.P.S. 4 CHANNEL PHASE SELECTOR	2.000	EA
4790	850(C)1400	MAST ARM MOUNTED SIGNS(ALUM.)	30.000	SF

Proposal:260153 **Let Date:**June 18, 2026 **Call Order:**070
J/P Num:37100(09) **Proj. Num:**EWC-28801A
Counties:MCCLAIN
Description:GRADE, DRAIN, SURFACE AND BRIDGE
OTA ACCESS: EAST-WEST CONNECTOR/ I-44/ SH-37:
FROM 1.2 MILES SOUTHWEST OF THE US-62 INTERCHANGE,
EXTEND NORTHEAST NEAR NEWCASTLE.
PROJECT LENGTH = 3.347 MILES

	Line #		Item Description	Quantity	Unit
0025	TRAFFIC LIGHTING				
	4800	802(B)0320	2" PVC SCH.40 PLASTIC CONDUIT BORED	1,140.000	LF
	4810	802(B)0324	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	21,960.000	LF
	4820	803(A)1210	PULL BOX(SIZE I)	90.000	EA
	4830	804(A)2200	STRUCTURAL CONCRETE	132.840	CY
	4840	804(B)2300	REINFORCING STEEL	23,004.000	LB
	4850	806(C)4508	40' MTG & 8' HLMA(G.STL.)	81.000	EA
	4860	807 5120	BREAKAWAY BASE (DES. B)	81.000	EA
	4870	809(A)7200	ROADWAY LUMINAIRE	81.000	EA
	4880	810(A)8200	SERVICE POLE	4.000	EA
	4890	811 9115	1/C NO.4 ELECT.COND.	69,300.000	LF
	4900	811 9135	1/C NO.12 ELECT.COND.	8,100.000	LF
0026	TRAFFIC CONTROL				
	4910	857(A)9205	CONSTRUCTION TRAFFIC STR.(PAINT)(6" WIDE)	28,750.000	LF
	4920	857(C)9405	REMOVABLE PAVEMENT MARKING TAPE(6" WIDE)	71,875.000	LF
	4930	857(E)9620	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	14,375.000	EA
	4940	857(E)9630	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	8,000.000	EA
	4950	857(F)9700	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	30,000.000	LF
	4960	871(B)2300	CONST.ZONE IMPACT ATTEN.	1,400.000	SD
	4970	877(B)4300	DELIVER PORTABLE LONGITUDINAL BARRIER	9,537.500	LF
	4980	877(C)4400	RELOCATION OF PORT. LONGITUDINAL BARRIER	5,875.000	LF
	4990	880(A)6220	ARROW DISPLAY(TYPE C)	1,400.000	SD
	5000	880(B)6300	CONSTRUCTION SIGNS 0 TO 6.25 SF	13,300.000	SD
	5010	880(B)6310	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	14,700.000	SD
	5020	880(B)6320	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	15,400.000	SD
	5030	880(C)6410	CONSTRUCTION BARRICADES(TYPE III)	13,300.000	SD
	5040	880(E)6607	WARNING LIGHTS(TYPE B)	31,500.000	SD
	5050	880(E)6616	WARNING LIGHTS(TYPE D)	6,300.000	SD
	5060	880(F)6700	DRUMS	31,500.000	SD
	5070	880(G)6805	CHANNELIZER CONES	7,000.000	SD
	5080	880(I)7000	FLAGGER	2,800.000	SD
	5090	880(N)7500	(SP) TEMP. TRAFF. SIGNAL SPAN WIRE EQUIP	1.000	LSUM
	5100	882(A)8210	PORT.CHANGEABLE MESSAGE SIGN	2,100.000	SD
0027	STAKING - OTA				
	5110	642(B)3300	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
0028	CONSTRUCTION - OTA				
	5120	220 1100	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
	5130	640(A)1210	FIELD OFFICE	1.000	EA
	5140	641 2110	MOBILIZATION	1.000	LSUM